AUTHOR INDEX TO VOLUME 22

Abbott, T. P.: see Dennenberg, R. J.
Abdel-Alim, A. H.: Solubility of Vinyl Chloride in Poly(vinyl Chloride) from Plant Data, 3597
Abdel-Fattah, S. H.: see Hebeish, A.
Agarwal, N. K.: see Sirkar, K. K.
Agarwal, P.: see Plazek, D. J.
Agrawal, D. C. see Viswanadham, R.
Ahad, E.: Melting of Hydrogels Containing Ammonium Nitrate, 1665
Aharoni, S. M. and Prevorsek, D. C.: Thermoplastic-Thermosetting Hybrid Polymer Systems as Gap-Filling Adhesives, 3511
Ahmad, A.: see Tanlak, T.
Akovali, G.: see Hiratsuka, H.
Albertsson, A.-C.: Biodegradation of Synthetic Polymers. II. A Limited Microbial Conversion of ^{14}C in Polyethylene to $^{14}CO_2$ by some Soil Fungi, 3419
—— and Beyer-Ericsson, L.-L.: Biodegradation of Synthetic Polymers. III. The Liberation of $^{14}CO_2$ by Molds Like *Fusarium redolens* from ^{14}C Labeled Pulvarized High-Density Polyethylene, 3435
Albright, J. A. and Kmiec, J. C.: A Novel Class of Halogenated Phosphate Fire Retardants for Use in Polypropylene, 2451
Alger, K. W.: see Needles, H. L.
Allam, E.: see Hebeish, A.
Allen, N. S., Homer, J., and McKellar, J. F.: Photostabilizing Effect of Nickel(II) Chelates in Polymers. III. Effect of *In Situ* Stabilizer Synthesis in Polypropylene, 611
—— and McKellar, J. F.: Luminescense and Photo-oxidation of Commercial Poly(4-methylpent-1-ene), 625
—— and ——: Photochemical Reactions in Commercial Poly(Ethylene 2,6-Naphthalate), 2085
—— and ——: Photostabilization of Commercial Polypropylene by a Hindered Amine Stabilizer, 3277
——, ——, and Protopapas, S. A.: Evidence for the Reduction of Quinones Added During Thermal Processing of Polypropylene and the Resultant Effect on Polymer Light Stability, 1451
Alsheh, D. and Marom, G.: Bromostyrene Crosslinked Polyesters. IV. The Effects of the C–Br Bond Strength and of Synergists on Fire Retardancy, 3177
Alvino, W. M. and Edelman, L. E.: Polyimides from Diisocyanates, Dianhydrides, and Their Dialkyl Esters, 1983
Anthony, R. G.: see Tanlak, T.
Arai, H., Wada, T., and Kuriyama, I.: Thermal Analysis of Polyethylene Prepared by γ-Ray-Induced Polymerization in Various Solvents, 3485
Araki, K.: see Omichi, H.
Arniaud, A.-M.: see Sotton, M.
Arthur, Jr., J. C.: see Harris, J. A.
Artymyshyn, B.: see Jordan, Jr., E. F.
Asquith, R. S., Gardner, K. L., McGarel, W. S., and Otterburn, M. S.: Hercosett-57 Resin Deposition on Wool and Modified Wools, 3267
Atkins, R. P.: see Dearlove, T. J.
Austin, R.: see Jordan, Jr., E. F.
Avny, Y., Rebenfeld, L., and Weigmann, H.-D.: The *In Situ* Polymerization of Vinyl Monomers in Polyester Yarns, 125
Ayare, D. S.: see Venkataraman, A.

Baccay, R. A.: see Matsumoto, T.
Baer, E.: see Wellinghoff, S. T.
Baird, D. G.: Viscometry of Anisotripic Solutions of Poly-*p*-Phenyleneterephthalamide in Sulfuric Acid, 2701
Bajaj, P. and Mandal, T. K.: Chemical Modification of Viscose Rayon by Dimethyl and Methylvinyl Diacetoxysilanes, 511
Baker, R. W.: see Heller, J.
Bargon, J.: see Hiraoka, H.
Barlow, J. W.: see Wahrmund, D. C.
Bartesch, H. and Williams, D. R. G.: The Continuous Measurement of the Damping and Fatigue Properties of High-Impact Polystyrene with a Controlled-Amplitude Torsion Pendulum, 467
Bataille, P., Van, B. T., and Pham, Q. B.: On Semicontinuous Polymerization of Vinyl Acetate, 3145
Bayazeed, A. M.: see Hebeish, A.
——: see Shalaby, S. E.
Bel-Ayche, J.: see Ziderman, I.
Bell, A. T.: see Hiratsuka, H.
Bellorin, C. and Sosa, J. M.: Synthesis of Acetoxy-*n*-chloroparaffins and Their Evaluation as Plasticizers for PVC, 851
Benner, C. L.: see Hanley, T. R.
Benoit, H.: see Francois, J.
Bergman, G.: see Sundgren, N.
Betrabet, S. M.: see Paralikar, K. M.
Beyer-Ericsson, L.-L.: see Albertsson, A.-C.
Bielech, C.: See Pan, C. Y.
Blankenhorn, P. R.: see Weyers, R. E.
Blanks, R. F. and Shah, B. N.: The Influence of the Solvent upon the Low Shear Viscosity of Styrene–Acrylonitrile Copolymer Solutions, 967
Boerio, F. J., Schoenlein, L. H., and Greivenkamp, J. E.: Adsorption of α-Aminopropyltriethoxysilane Onto Bulk Iron from Aqueous Solutions, 203
Bolon, D. A. and Webb, K. K.: Barrier Coats versus Inert Atmospheres. The Elimination of Oxygen Inhibition in Free-Radical Polymerizations, 2543
Bolto, B. A., Dixon, D. R., and Eldridge, R. J.: Graft Polymerization on Magnetic Polymer Substrates, 1977
Bonner, D. C.: see Karim, K. A.
——: see Dinçer, S.
Borden, D. G.: Design of Photocrosslinkable Polyesters with Specific Absorptions, 239

Borman, W. F. H.: Molecular Weight–Viscosity Relationships for Poly(1,4-butylene Terephthalate), 2119
Bose, P. J.: see Venkatesh, G. M.
Bothast, R. J.: see Dennenberg, R. J.
Braks, J. G. and Huang, R. Y. M.: Polymerization Mechanisms and Molecular Weight Distribution. II. AIBN-Initiated Polymerization of Styrene at 60°, 3111
Brar, A. S.: see Janča, J.
Brazier, D. W. and Schwartz, N. V.: The Effect of Heating Rate on the Thermal Degradation of Polybutadiene, 113
Brizitsky, V. I., Vinogradov, G. V., Isayev, A. I., and Podolsky, Y. Y.: Extensional Stresses During Polymer Flow in Ducts, 751
Brody, H.: Fiber Recovery, 1631
Bromfield, H. A.: see Hayduk, W.
Brown, W. P. and Tipper, C. F. H.: The Pyrolysis of Cellulose Derivatives, 1459
Burns, C. M.: see Lloyd, D. R.
Burton, K. A.: see Sanford, P. A.

Cadmus, M. C.: see Sanford, P. A.
Cais, M.: see Gal, A.
Campbell, G. A.: see Dearlove, T. J.
Campos-López, E.: see Ponce-Vélez, M. A.
Carlsson, D. J., Grattan, D. W., Suprunchuk, T., and Wiles, D. M.: The Photodegradation of Polypropylene. IV. UV Stabilizer Decomposition, 2217
Carpenter, R. L., Kramer, O., and Ferry, J. D.: Entanglement Networks of 1,2-Polybutadiene Crosslinked in States of Strain. IV. States of Ease and Stress–Strain Behavior, 335
Carr, M. E., Hofreiter, B. T., and Russell, C. R.: Starch Polyampholytes with Amine and Xanthate Substituents: Characterization and Application, 897
Carra, J. H.: see Harris, J. A.
Chan, H. S. O. and Still, R. H.: Thermal Degradation of Polymers. XVIII. The Synthesis and Characterization of Quinazolone Pre-Polymers, 2173
—— and ——: Thermal Degradation of Polymers. XIX. The Thermal Cyclization and Characterization of Quinazolone Pre-Polymers, 2187
—— and ——: Thermal Degradation of Polymers. XX. The Effect of Thermal Aging on Thermal Diffusivity and Hardness of Polyquinazolones, 2197
Chang, E.-P. and Slagowski, E. L.: Morphology and Physical Properties of Poly(butylene Terephthalate), 769
Chang, R.-J. see Rudin, A.
Chapman, T. F.: see Fellers, J. F.
Chidambareswaran, P. K., Sreenivasan, S., Patil, N. B., Lokhande, H. T., and Shulka, S. R.: Fine Structural Changes in Native and Mercerized Fibrous Cellulose Brought About by Ethylenediamine and Methyl Alcohol, 3089
Childers, C. W.: see Clark, E.
Choji, N.: see Masuko, T.
Clark, E. and Childers, C. W.: Inpact-Resistant Plastics from Blends of Poly(Styrene/Acrylonitrile) with ϵ-Caprolactone Block Copolymers, 1081
Collins, E. A.: see Nakajima, N.
Crane, L. W.: see Hamermesh, C. L.
Cuculo, J. A.: see Griswold, P. D.
Culver, L. E.: see El-Hakeem, H. A.
Cunningham, R. E.: Preparation and Stress–Strain Properties of ABC Triblock Copolymers of α-Methylstyrene, Butadiene, and Styrene, 2387
——: Preparation and Stress–Strain Properties of ABA Block Copolymers of α-Methylstyrene and Butadiene, 2907
Czlonkowska-Kohutnicka, Z.: see Strazielle, C.

Danford, M. D., Spruiell, J. E., and White, J. L.: Structure Development in the Melt Spinning of Nylon 66 Fibers and Comparison to Nylon 6, 3351
Dansizer, C. J.: see Kamath, Y. K.
Dasgupta, S.: Polypropylene Filled with Barium Titanate: Dielectric and Mechanical Properties, 2383
Day, F. H.: see Liepins, R.
De, S. K.: see Kumaran, M. G.
Dearlove, T. J.: Diluted Epoxy Adhesives. I. Physical Properties and Lap Shear Strengths, 2509
——, Campbell, G. A., and Atkins, R. P.: Optimizing the Properties of Isocyanate-Terminated Polyurethane Prepolymers by Statistically Designed Experiments, 927
—— and Ulicny, J. C.: Diluted Epoxy Adhesives. II. Relationship of Shrinkage During Cure to Lap Shear Strengths, 2523
De Groot, K. and Driessen, A. A.: Preferential Absorption of (Binary) Solvents by p-Hydroxyethyl Methacrylate Gels, 859
Dennenberg, R. J., Bothast, R. J., and Abbott, T. P.: A New Biodegradable Plastic Made from Starch Graft Poly(methyl Acrylate) Copolymer, 459
Desai, R. L.: see Venkateswaran, A.
Dinçer, S. and Bonner, D. C.: Solubility Criteria for a Thermally Stable Polymer Determined by Gas-Solid Chromatography, 3235
Dixon, D. D.: see Hayes, L. J.
Dixon, D. R.: see Bolto, B. A.
Doane, W. M.: see Taylor, N. W.
——: see Trimnell, D.
——: see Wing, R. E.
Doulah, M. S.: A Proposed Mechanism for the Degradation of Addition Polymers in Cavitating Ultrasonic Fields, 1735
Driessen, A. A.: see De Groot, K.
Ducháček, V.: Effect of Thiourea on Thiuram-Accelerated Sulfur Vulcanization and Its Significance for Vulcanization Mechanism, 227
Duda, J. L., Ni, Y. C., and Vrentas, J. S.: Diffusion of Ethylbenzene in Molten Polystyrene, 689
——: see Vrentas, J. S.
Duffy, J. J.: see Liepins, R.
Dweltz, N. E.: see Venkatesh, G. M.
Dynes, P. J. and Kaelble, D. H.: Dynamic Mechanical Analysis of Curing in Polymer Composites, 837
Dzierza, W.: Mechanical Properties of Crosslinked Polyurethanes, 1331

Edbon, J. R.: see Moustafa, A. B.
Edelman, L. E.: see Alvino, W. M.
Eguchi, W.: see Nomura, N.
Elder, H. M. and El-Tawashi, M.: Some Bending Properties of Films, 1443

Eldridge, R. J.: see Bolto, B. A.
El-Hakeem, H. A. and Culver, L. E.: The Superposition Model and Environmental Crack Propagation in Low-Density Polyethylene, 2691
Eliassaf, J.: Aqueous Solutions of Poly(*N*-isopropylacrylamide), 873
El-Rafie, M. H.: see Hebeish, A.
El-Shahid, M. F.: see Hebeish, A.
El-Tawashi, M.: see Elder, H. M.
Enomoto, S., Takita, H., Nishida, S., Wada, H., Mukaida, U., and Yanaka, M.: Study of Reactive Diluent for Air-Dried Alkyd Paint, 253
——: see Morimoto, T.

Fairbridge, C., Ross, R. A., and Sood, S. B.: A Kinetic and Surface Study of the Thermal Decomposition of Cellulose Powder in Inert and Oxidizing Atmospheres, 497
Fanta, G. F.: see Taylor, N. W.
Fellers, J. F. and Chapman, T. F.: Deformation Behavior of Polystyrene as a Function of Molecular Weight Parameters, 1029
Ferry, J. D.: see Carpenter, R. L.
Flashner, F.: see Narkis, M.
Flodin, P.: see Wirsén, A.
Foster, R. J., Whitling, P. H., Mellor, J. M., and Phillips, D.: Photosensitized Dehydrochlorination of Poly(vinyl Chloride). I. Effect of Commercial Additives, 1129
Fountain, R.: see Jones, J. F.
Fourie, J.: see McGill, W. J.
Fozard, B., Sheldon, R. P., and Wright, P. C.: The dc Volume Resistivity of Plasticized PVC, 1167
Francois, J., Jacob, M., Grubisic-Gallot, Z., and Benoit, H.: Adaption of an Automatic Densimeter as Detector for Gel Permeation Chromatography, 1159
——: see Sarazin, D.
Fraser, G. V., Keller, A., and Odell, J. A.: The Influence of Nucleation Density and Cooling Rate on Crystallization of Polyethylene from the Melt, 2979
French, D. M.: The Density of Cellulous Nitrate, 309
Fujiwara, Y.: see Minoura, N.
Fujiyama, M. and Kimura, S.: Effect of Molecular Parameters on the Shrinkage of Interjection-Molded Polypropylene, 1225
Fukushima, J., Yasuda, K., Teratani, H., and Nishizaki, S.: Settling Behavior of Fillers in Thermosetting Epoxy Casting Resins During Cure, 1701

Gal, A., Cais, M., and Kohn, D. H.: Organometallic Polymers. V. Synthesis and Properties of Metallocene-Modified Polymers, 3449
Gale, D. M.: Fabrication of Poly(*p*-phenylene) by Powder-Forming Techniques, 1955
——: Properties of Fabricated Poly-*p*-phenylene, 1971
Gale, R. M.: see Heller, J.
Gardner, K. L., Murphy, W. R., and Geehan, T. G.: Polyacrylamide Solution Aging, 881
——: see Asquith, R. S.
Garg, B. K., Raff, R. A. V., and Subramanian, R. V.: Electropolymerization of Monomers on Metal Electrodes, 65
Gazit, S.: Dimensional Changes in Glass-Filled Epoxy Resin as a Result of Absorption of Atmospheric Moisture, 3547
Geehan, T. G.: see Gardner, K. L.
Geetha, C. K.: see Varma, I. K.
Gilbert, A. S. and Pethrick, R. A.: Dielectric Relaxation in Epoxy-Polyglycol Elastomers, 2881
Gillen, K. T.: Use of A Thermomechanical Analyzer to Estimate the Tensile Compliance for Polymeric Materials, 1291
Gillham, J. K.: see Tamura, S.
Gipstein, E.: see Hiraoka, H.
Gloor, W. E.: The Numerical Evaluation of Parameters in Distribution Functions of Polymers from Their Molecular Weight Distributions, 1177
Goel, D. K.: see Mukherjee, A. K.
Goldfinger, G. and Wiggs, J. H.: The Effect of Internal Scattering on the Color of Fabrics, 3459
Gratton, D. W.: see Carlsson, D. J.
Gregor, H. P.: see Walden, J.
Greivenkamp, J. E.: see Boerio, F. J.
Grenley, D. G.: see Wagner, H. B.
Griswold, P. D. and Cuculo, J. A.: Properties of Poly(ethylene Terephthalate) Prepared by High-Pressure Extrusion in a Capillary Die, 163
Grubisic-Gallot, Z.: see Francois, J.
Gryte, C. C.: 1,1,1-Tris(hydroxymethyl)-propane-Crosslinked Poly(vinyl Alcohol) Poly(styrene Sodium Sulphonate) Interpolymer Membranes, 2401
Gupta, M. P.: see Lakshminarayanan, T. R.
Gupta, V. K.: see Malhorta, H. C.

Habgood, H. W.: see Pan, C. Y.
Halkias, J. E.: see McKague, Jr., E. L.
Hamajima, K.: see Inagaki, N.
Hamano, H.: see Oohachi, Y.
Hamaya, T. and Yamada, S.: Cyanoethylation of Cellophane, 875
Hamermesh, C. L. and Crane, L. W.: Adhesion of Plasma Polymer Films to Metal Substrates, 2395
Hamielec, A. E.: see Husain, A.
——: see Singh, S.
Han, C. D. and Villamizar, C. A.: Effects of Molecular Weight Distribution and Long-Chain Branching on the Viscoelastic Properties of High- and Low-Density Polyethylene Melts, 1677
——: see Shetty, R.
——: see Silberberg, J.
——: see Yagi, K.
Hanley, T. R., Helminiak, T. E. and Benner, C. L.: Expansion of Aromatic Heterocyclic Polymers in Salt Solution, 2965
Harada, M.: see Nomura, M.
Harris, J. A., Arthur, Jr., J. C., and Carra, J. H.: Photoinitiated Polymerization of Glycidyl Methacrylate with Cotton Cellulose, 905
Hasegawa, A.: see Ohsawa, T.
Hautala, E.: see Randall, J. M.
Havens, M. R., Mayhan, K. G., James, W. J., and Schmidt, P.: Plasma-Deposited Polymer Films. I. Low-Angle X-Ray Study, 2793
——, ——, and ——: Plasma-Deposited

Polymer Films. II. Transmission and Scanning Electron Microscopy, 2799
Hayakawa, N.: see Yamaguchi, K.
Hayduk, W. and Bromfield, H. A.: *Theta*-Cosolvent Solutions for Poly(vinyl Chloride) by Cloud Point and Osmotic Pressure Measurements, 149
Hayes, L. J. and Dixon, D. D.: Surface Tension Versus Barrier Property for Fluorinated Surfaces, 1007
Hebeish, A., Abdel-Fattah, S. H., and El-Rafie, M. H.: Redox-Initiated Graft Copolymerization onto Wool with Thiourea as Reductant. IV. Grafting of Vinyl Sulfone Dyes onto Wool Using Thirourea–H_2O_2 Redox System, 2253
——, El-Rafie, M. H., Waly, A., and Moursi, A. Z.: Graft Copolymerization of Vinyl Monomers onto Modified Cotton. IX. Hydrogen Peroxide–Thiourea Dioxide Redox System Induced Grafting of 2-Methyl-5-vinylpyridine onto Oxidized Celluloses, 1853
——, Shalaby, S. E., Allam, E., and El-Shahid, M. F.: Chemical Modification of Polyester/Cotton Blends. III. Grafting with 2-Methyl-5-vinylpyridine, 847
——, ——, and Bayazeed, A. M.: Graft Copolymerization of 2-Methyl-5-Vinyl Pyridine to Poly(Ethylene Terephthalate) Fibers using a Post-Radiation Technique, 3335
——, Waly, A., Moursi, A. Z., and El-Rafie, M. H.: Preparation of Chemically Modified Cotton Via Introduction of Aromatic Amino Groups, 2713
——: see Shalaby, S. E.
Heller, J., Baker, R. W., Gale, R. M., and Rodin, J. O.: Controlled Drug Release by Polymer Dissolution. I. Partial Esters of Maleic Anhydride Copolymers—Properties and Theory, 1991
Helminiak, T. E.: see Hanley, T. R.
Heuvel, H. M. and Huisman, R.: Effect of Winding Speed on the Physical Structure of As-Spun Poly(ethylene Terephthalate) Fibers, Including Orientation-Induced Crystallization, 2229
——: see Huisman, R.
Hiraoka, H., Gipstein, E., Bargon, J., and Welsh, Jr., L. W.: *In Situ* Preparation of Lithographic Resists Containing Glutarimide Groups, 3397
Hiratani, K., Matsumoto, Y., and Nakagawa, T.: Preparation of Modified Poly(vinyl Chloride) Containing N,N-Di(β-hydroxyethyl)dithiocarbamate and Its Reaction with Metal Ions, 1787
Hiratsuka, H., Akovali, G., Shen, M., and Bell, A. T.: Plasma Polymerization of Some Simple Saturated Hydrocarbons, 917
Hirotsu, T.: see Yasuda, Y.
Hiscock, B. F.: see Rudin, A.
Hjertberg, T. and Sörvik, E. M.: On the Influence of HCl on the Thermal Degradation of Poly(Vinyl Chloride), 2415
Hoffman, A. S.: see Ratner, B. D.
Hofreiter, B. T.: see Carr, M. E.
Homer, J.: see Allen, N. S.
Honda, S.: see Okubo, H.
Hopfenberg, H. B.: see Lee, K. L.
Horie, T.: see Ito, E.
Hsieh, H. L.: Styrene–Diene–Lactone Block Copolymers, 1119
Huang, R. Y. M.: see Braks, J. G.
Huisman, R and Heuvel, H. M.: A Quantitative Description of the Effect of Process Conditions on the Physical Structure of Poly(ethylene Terephthalate) Yarns with an Application to Dyeing Behavior, 943
——: see Heuvel, H. M.
Hunston, D. L.: see Zakin, J. L.
Hunt, B. J.: see Moustafa, A. B.
Husain, A. and Hamielec, A. E.: Thermal Polymerization of Styrene, 1207

Ibe, E. C. and Ibe, S. N.: Conditions for Stability of Crosslinks in Cellulose, 3345
Ibe, S. N.: see Ibe, E. C.
Ibrahim, I. M.: see Spencer, H. G.
Ide, Y. and White, J. L.: Experimental Study of Elongational Flow and Failure of Polymer Melts, 1061
——: see White, J. L.
Igawa, M., Senō, M., Takahashi, H., and Yamabe, T.: Reverse Osmosis with Dynamically Formed Membranes from Water-Soluble Polymers, 1607
Iisaka, K. and Shibayama, K.: Effect of Filler Particle Size on Dynamic Mechanical Properties of Poly(methyl Methacrylate), 1321
—— and ——: Molecular Motion in Cured Epoxy Resin Filled With Mica Flakes, 1845
—— and ——, K.: Mechanical α-Dispersion and Interaction in Filled Polystyrene and Polymethylmethacrylate, 3135
Iizuka, S.: see Suzuki, J.
Inaba, T.: see Ogawa, T.
Inagaki, N., Hamajima, K., and Katsuura, K.: Flame-Retardant Action of Chlorine Compounds and Antimony Trioxide on Cellulose Fabric, 3283
——: see Katsuura, K.
Ingamells, W. and Yabani, A. M.: The Effect of Carriers on Drawn Poly(ethylene Terephthalate) Filaments, 1583
Isayev, A. I.: see Brizitsky, V. I.
——: see Vinogradov, G. V.
Ishi, K.: see Masuko, T.
Ito, A.: see Okubo, H.
Ito, E., Horie, T., and Kobayashi, Y.: Thermal Shrinkage of Drawn Polystyrene, 3193
—— and Kobayashi, Y.: Changes in Physical Properties of Polycarbonate by Absorbed Water, 1143
Iyengar, Y.: Adhesion of Kevlar Aramid Cords to Rubber, 801
Iyer, K. R. K.: see Iyer, P. B.
Iyer, P. B., Iyer, K. R. K., and Patil, N. B.: Quantitative Analysis of Wool/Cotton Blends: An Infrared Method, 2677
Izawa, M.: see Minoura, Y.

Jachowicz, J., Kryszewski, M., and Kowalski, P.: Thermal Degradation of Poly(2-6-dimethyl-1-,4-phenylene Oxide). I. The Mechanism of Degradation, 2891
Jacob, M.: see Francois, J.
James, W. J.: see Havens, M. R.
——: see Oberbeck, Jr., W. F.
Jamieson, D. R. and Smith, C. H.: The

Preparation and Polymerization of Ethylene-d_4, 2499
Janča, J., Mrkvičková, L., Kolínský, M., and Brar, A. S.: Gel Permeation Chromatography in the Study of the Molecular Weight Distribution of the Copolymer Vinyl Chloride–Vinyl Acetate. II. Influence of Copolymer Chemical Composition, 2661
Jeanes, A.: see Sanford, P. A.
Jensen, C. D.: see Pan, C. Y.
Johansson, M. H. and Samuelson, O.: Endwise Degradation of Hydrocellulose in Bicarbonate Solution, 615
Johnson, Jr., J. S.: see Tanny, G. B.
Jolan, A. H. and Prud'homme, R. E.: Studies of Polymer-Cellulose Blends Prepared from Solution, 2533
Jones, J. F. and Fountain, R.: The Reaction of a Coolant Solution on Its Bladder Made from a Specific Fluorocarbon Elastomer, 841
Jordan, Jr., E. F., Smith, Jr., S. Koos, R. E., Parker, W. E., Artymyshyn, B., and Wrigley, A. N.: Viscosity Index. I. Evaluation of Selected Copolymers Incorporating *n*-Octadecyl Acrylate as Viscosity Index Improvers, 1509
——, ——, Zabarsky, R. D., Austin, R., and Wrigley, A. N.: Viscosity Index. II. Correlation with Rheological Theories of Data for Blends Containing *n*-Octadecyl Acrylate, 1529
——, ——, ——, and Wrigley, A. N.: Viscosity Index. III. Thermodynamic Parameters for Side-Chain Chrystallinity in Pour Point-Modified Blends Containing *n*-Octadecyl Acrylate, 1547
Joseph, E.: see Narkis, M.

Kaelble, D. H.: see Dynes, P. J.
Kaeriyama, K., Rokusha, T., and Naomi, K.: Heavy Metal Ion Scavengers from Cyanuric Chloride, 3075
Kaetsu, I.: see Okubo, H.
——: see Yoshida, M.
——: see Yoshii, F.
Kagiyama, Y.: see Okamura, K.
Kalfoglou, N. K.: Structure–Property Relationships of Composite Films, 989
Kamal, M. R.: see Tan, V.
Kamath, Y. K., Dansizer, C. J., and Weigmann, H.-D.: Wetting Behavior of Human Hair Fibers, 2295
Kamizawa, C.: The Permeation Behavior of Metal Complex Solutions through Cellulose Acetate Membranes, 2867
Kanetsuna, H.: see Tanabe, Y.
Karasawa, M.: see Masuko, T.
Karim, K. A. and Bonner, D. C.: Thermodynamic Interpretation of Solute–Polymer Interactions at Infinite Dilution, 1277
Katayama, M.: see Okano, T.
Kato, M.: see Okubo, H.
Kato, S.: see Yamashita, S.
Kato, T.: A Thermomechanical Investigation of Highly Cold-Drawn Polycarbonate, 1767
Katsuura, K. and Inagaki, N.: Flame-Retardant Properties of Cellulose Phenylthiophosphonate, 679
——: see Inagaki, N.
Katsyutsevich, E. V.: see Vinogradov, G. V.
Kawabata, N.: see Yamashita, S.
Keller, A.: see Fraser, G. V.
Kelly, M. A.: see Ratner, B. D.
Keskkula, H.: see McCreedy, K.
Kim, H.-G.: Chain Configuration of Polystyrene in Bulk by Small-Angle X-Ray Scattering, 889
Kimura, S.: see Fujiyama, M.
Kimura, Y.: see Osawa, Z.
Kishi, J.: see Misaki, T.
Kline, D. E.: see Weyers, R. E.
Kmiec, C. J.: see Albright, J. A.
Kobayashi, Y.: see Ito, E.
Kohn, D. H.: see Gal, A.
Kohomoto, S.-I.: see Minoura, Y.
Kolínský, M.: see Janča, J.
Koos, R. E.: see Jordan, Jr., E. F.
Kotova, E. V.: see Krasnikova, N. P.
Kowalski, P.: see Jachowicz, J.
Kramer, E. J.: see Viswanadham, R.
Kramer, O.: see Carpenter, R. L.
Krasnikova, N. P., Kotova, E. V., Vinogradov, G. V., and Pelzbauer, Z.: Investigation of the Morphology of Polymer Mixtures Depending on Flow Conditions of Melts, 2081
Kratochvíl, P.: see Stejskal, J.
Krein, H. L.: see Rudin, A.
Kryszewski, M.: see Jachowicz, J.
Kubat, J., Seldén, R., and Rigdahl, M.: Internal Stresses and Activation Volumes from the Stress Relaxation Behavior of Polyethylene at Large Deformations, 1715
Kubota, H. and Ogiwara, Y.: Formation of Peroxides on Cellulose Derivatives, 3363
——, ——, and Matsuzaki, K.: Saccharide Radicals Induced by UV Irradiation at Room Temperature, 3327
Kumaran, M. G. and De, S. K.: Utilization of Legnins in Rubber Compounding, 1885
Kuriyama, I.: see Arai, H.

Lai, J. H. and Shrawagi, S.: Electron-Sensitive Resists. II. Positive Resists Derived from High Polymers of Methyl Methacrylate, Methyl α-Chloroacrylate, and Hexyl Methacrylate, 53
Lai, Y. Z.: see Shafizadeh, F.
Lakshminarayanan, T. R. and Gupta, M. P.: Nature of Cure of Shellac-Amino Resin Blends, 3035
Lang, G.: Biegeverhalten von Kernverbund-Systemen, 2831
Large, R., Maddams, W. F., and Preedy, J. E.: X-Ray Diffraction Pole Figure Measurements on a Poly(Vinyl Fluoride) Film, 3031
Le Bras, J. and Papirer, E.: The Filler–Elastomer Chemical Link and the Reinforcement of Rubber, 525
Lee, K. L., Hopfenberg, H. B., and Stannett, V. T.: The Effect of Chelation on the Selective Transport of Alkaline Earth Metal Ions in Asymmetric Cellulose Acetate Hyperfiltration Membranes. II., 1093
Lee, W. Y.: Calibration of the Gel Permeation Chromatography Polyester Resins, 3343
Le Moigne, J.: see Sarazin, D.
Lenk, R. S.: Pressure Drop Through Tapered Dies, 1775
——: A Unified Concept of Melt Flow Instability During Extrusion, 1781
Lenka, S.: see Nayak, P. L.

Liepins, R., Surles, J. R., Morosoff, N., Stannett, V., Duffy, J. J., and Day, F. H.: Localized Radiation Grafting of Flame Retardants to Polyethylene Terephthalate. II. Vinyl Phosphonates, 2403
Lin, C. C. and Yu, P. C.: The Kinetics of Polyesterification. III. A Mathematical Model for Quantitative Prediction of the Apparent Rate Constants, 1797
Lin, J. W. and Wen, W. Y.: Thermal Analysis of Styrene–Alkyl Methacrylate Polymers. I. Glass Transition Temperatures, 2275
——: see Wen, W. Y.
Linkens, A. and Vanderschueren, J.: Relaxation Properties of Styrene-Butadiene Block Copolymers. A Comparative Study of Thermally Stimulated Currents and Thermoluminescence, 3081
Lipatov, Y.: Structure, Mechanical, and Rheological Properties of Polyethylene–Poly(oxymethylene) Blends, 1895
Little, R. W.: see Sarig, Y.
Lloyd, D. R. and Burns, C. M.: Reexamination of Cloud-Point Isotherms for the Systems Polystyrene/Polybutadiene/Tetralin, 593
Lokhande, H. T.: Dyeing Behavior of Swollen Cotton Fibers and Swelling Mechanisms of Intra- and Intercrystalline Swelling Agents, 533
——: Swelling Behavior of Cotton Fibers in Morpholine and Piperidine, 1243
—— and Salvi, A. S.: Grafting onto Polyformaldehyde Fibers, 1303
——: see Chidambareswaran, P. K.
Lubert, W.: see Rink, M.

MacKnight, W. J.: see Senich, G. A.
Maddams, W. F. and Preedy, J. E.: X-Ray Diffraction Orientation Studies on Blown Polyethylene Films. I. Preliminary Measurements, 2721
——: X-Ray Diffraction Orientation Studies on Blown Polyethylene Films. II. Measurements on Films from a Commercial Blowing Unit, 2739
—— and ——: X-Ray Diffraction Orientation Studies on Blown Polyethylene Films. III. High-Stress Crystallization Orientation, 2751
—— and ——: Some Small-Angle X-Ray Diffraction Measurements on Blown Polyethylene Films, 3027
——: see Large, R.
——: see McRae, M. A.
Mahabadi, H. K. and O'Driscoll, K. F.: A Gel Permeation Chromatography Calibration Method for a Broad Molecular Weight Distribution Polymer, 597
Mahalingham, R., Teng, F. S., and Subramanian, R. V.: Electroinitiated Polymerization Coatings Through Packed and Fluidized Bed Electrodes, 3587
Makarewicz, P. J. and Wilkes, G. L.: Liquid-Induced Crystallization of Poly(Ethylene-2,6-Naphthalate), 3347
Malhotra, H. C. and Gupta, V. K.: Kinetics of Alkali-Catalyzed *m*-Cresol-Formaldehyde Reaction, 343
Mandal, T. K.: see Bajaj, P.
Majunath, B. R.: see Venkataraman, A.
Marom, G.: see Alsheh, D.
Matsuda, H.: Synthesis of Metal Containing Cured Resins from Divalent Metal Salts of Mono(hydroxyethyl) Phthalate, Anhydrides, and Bisepoxides, 2093
——: Metal-Containing Cured Polyesters from Divalent Metal Salts of Mono(hydroxethyl) Phthalate, Bisester, Anhydrides, and Monoepoxide, 3371
Masuko, T., Choji, N., Karasawa, M., and Ishi, K.: Diffusion of *p*-Aminoazobenzene in SBS Block Copolymer, 1105
——, Sato, M., and Karasawa, M.: Diffusion of Disperse Dye in Atactic Polystyrene, 1431
Matsumoto, T., Baccay, R. A., Okubo, M., and Nakamae, K.: Foam Inhibition in an Aqueous Sodium Dodecylbenzene Sulfonate Solution by Poly(dimethylaminoethyl Methacrylate), 1479
Matsumoto, Y.: see Hiratani, K.
Matsunaga, T. and Tamai, Y.: Surface Free Energy Analysis of Ethylene-Vinyl Acetate Copolymers, 3525
Matsuo, T.: see Minoura, Y.
Matsuzaki, K.: see Kubota, H.
——: see Nakamura, S.
Mayhan, K. G.: see Havens, M. R.
——: see Oberbeck, Jr., W. F.
McCreedy, K. and Keskkula, H.: Application of Thermogravimetric Analysis to the Thermal Decomposition of Polybutadiene, 999
McDonald, G.: see Randall, J. M.
McGarel, W. S.: see Asquith, R. S.
McGill, W. J., Payne, L., and Fourie, J.: A Technique for the Analysis of Trace Amounts of Volatile Products from Polymer Degradations, 2669
McIntyre, C. R.; see Shafizadeh, F.
McKauge, Jr., E. L., Reynolds, J. D., and Halkias, J. E.: Swelling and Glass Transition Relations for Epoxy Matrix Material in Humid Environments, 1643
McKellar, J. F.: see Allen, N. S.
McRae, M. A. and Maddams, W. F.: Some Orientation Studies on Blown Polyethylene Films by Infrared Spectroscopy, 2761
Mead, W. T., and Porter, R. S.: The Preparation and Tensile Properties of Polyethylene Composites, 3249
Mehrotra, R. and Rånby, B.: Graft Copolymerization onto Starch. II. Grafting of Acrylonitrile to Gelatinized Potato Starch by Manganic Pyrophosphate Initiation, 2991
—— and ——: Graft Copolymerization onto Starch. IV. Grafting of Methyl Methacrylate to Granular Native Potato Starch by Manganic Pyrophosphate Initiation, 3003
Mehta, D. J.: see Rao, A. V.
Mellor, J. M.: see Foster, R. J.
Meyer, G. C. and Tritscher, G. E.: Compatibility of ABA Poly(styrene–*b*–isoprene)/Poly(2,6-dimethylphenylene Oxide) Blends, 719
Michell, A. J., Vaughan, J. E., and Willis, D.: Wood Fiber–Synthetic Polymer Composites. II. Laminates of Treated Fibers and Polyolefins, 2047
Miller, I. F.: see Walden, J.
Min, K. W. and Ray, W. H.: The Computer Simulation of Batch Emission Polymerization Reactors Through a Detailed Mathematical Model, 89

——: On the Application of Fractional Moments in Determining Average Molecular Weights, 589
Minoura, N., Fujiwara, Y., and Nakagawa, T.: Permeability of Poly-L-methioine Membrane and Its Oxidized Membrane to Water Vapor, 1593
——, Tani, S., and Nakagawa, T.: Permeability of Irradiated Silicone Rubber Membranes to Gases, 833
Minoura, Y., Yamashita, S., Okamoto, H., Matsuo, T., Izawa, M., and Kohmoto, S.-I.: Crosslinking and Mechanical Property of Liquid Rubber. I. Curative Effect of Aliphatic Diols, 1817
——, ——, ——, ——, ——, and ——: Crosslinking and Mechanical Property of Liquid Rubber, 3101
——: see Nakano, A.
Misaki, T. and Kishi, J.: Effect of Notches and Glass Fiber Reinforcement on Fatigue Behavior of Polycarbonate, 2063
Miwa, M.: see Ohsawa, T.
Mizutani, Y.: see Okamura, K.
Mori, K., Nakamura, Y., and Tamura, K.: Modification of Poly(vinyl Chloride). XXXIII. Novel Poly(vinyl Chloride) Foam Crosslinked with 6-Dibutylamino-1,3,5-triazine-2,4-dithiol, 2685
Mori, T., Tanaka, R., and Tanaka, T.: Heterogeneous Network Polymers. VI. Effects of Rate of Solvent Evaporation on Residual PGA Liquid Crystal Structure and Its Dynamic Mechanical Properties, 2817
——: see Morimoto, T.
Morimoto, T., Mori, T., and Enomoto, S.: Ignition Properties of Polymers Evaluated from Ignition Temperature and Ignition Limiting Oxygen Index, 1911
Morita, Y.: see Okubo, H.
Morosoff, N: see Liepins, R.
Moursi, A. Z.: see Hebeish, A.
Moustafa, A. B., Ebdon, J. R., and Hunt, B. J.: Heterogeneous Polymerization of Some Methacrylate Monomers, 2471
Mrkvičková, L.: see Janča, J.
Mukaida, U.: see Enomoto, S.
Mukherjee, A. K. and Goel, D. K.: Depolymerization of Poly-ε-caprolactam Catalyzed by Sodium Hydroxide, 361
Murphy, W. R.: see Gardner, K. L.
Mustafaev, D. A.: see Vinogradov, G. V.

Nadella, H. P., Spruiell, J. E., and White, J. L.: Drawings and Annealing of Polypropylene Fibers: Structural Changes and Mechanical Properties, 3121
Naik, K. M.: see Sivaram, S.
Nair, E. M. S.: see Prabhakaran, R.
Nair, P.: see Pandey, S. N.
Nakagawa, T.: see Hiratani, K.
——: see Minoura, N.
Nakajima, N. and Collins, E. A.: Anomalous Behavior of Unplasticized PVC Compounds in Capillary Flow, 2435
Nakamae, K.: see Matsumoto, T.
Nakamura, S., Yamada, M., and Matsuzaki, K.: Graft Frequency of Graft Copolymers by Chain Transfer of Growing Polymer Radicals to Trunk Polymers Containing Nitro Groups, 2011
Nakamura, Y.: see Mori, K.
Nakano, A. and Minoura, Y.: Degradation of Aqueous Poly(acrylic Acid) and Its Sodium Salt Solutions by High-Speed Stirring, 2207
Nakayama, A.: see Ohsawa, T.
Nalepa, D. E.: see Sato, T.
Naomi, K.: see Kaeriyama, K.
Narkis, M.: Particulate-Filled Glassy Polymers, 3531
——, Nicolais, L., and Joseph, E.: The Elastic Modulus of Particulate-Filled Polymers, 2391
——, Ram, A., and Flashner, F.: Polyethylene/Carbon Black Switching Materials, 1163
——: see Siegmann, A.
Nayak, P. L., Lenka, S., and Pati, N. C.: Grafting Vinyl Monomers onto Wool Fibers. I. Graft Copolymerization of Methyl Methacrylate onto Wool Using V^{5+}-Thiourea Redox System, 3301
Needles, H. L. and Alger, K. W.: Photo-Induced Polymerization of Methyl Acrylate Vapors on Prewetted Polyamide and Polyester Fibers, 3405
Negishi, A., Ogiwara, Y., and Osawa, Z.: Photodegradation of Polypropylene in the Presence of Ferric Chloride, 2953
Ni, Y. C.: see Duda, J. L.
Nicolais, L.: see Narkis, M.
Nishida, S.: see Enomoto, S.
Nishizaki, S.: see Fukushima, J.
Nomura, H., Yoshida, S., Senō, M., Takahashi, H., and Yamabe, T.: Permselectivities of Some Aromatic Compounds in Organic Medium Through Cellulose Acetate Membranes by Reverse Osmosis, 2609
Nomura, M., Sasaki, S., Harada, N., and Eguchi, W.: A Kinetic Study of Vinyl Acetate Polymerization in Aqueous Media in the Absence of Emulsifier, 1043

Oberbeck, Jr., W. F., Mayhan, K. G., and James, W. J.: Plasma-Deposited Polymer Films. III. The effects of Gamma Irradiation, 2805
Odell, J. A.: see Fraser, G. V.
O'Driscoll, K. F.: see Mahabadi, H. K.
Ogawa, T. and Inaba, T.: Preparative Fractionation of Polypropylene and Polyethylene, 2621
Ogiwara, Y.: see Kubota, H.
——: see Negishi, A.
Ohsawa, T., Nakayama, A. Miwa, M., Hasegawa, A.: Temperature Dependence of Critical Fiber Length for Glass Fiber-Reinforced Thermosetting Resins, 3203
Okada, T.: see Takezaki, J.
Okamoto, H.: see Minoura, Y.
Okamoto, J.: see Yamaguchi, K.
Okamoto, T.: see Yamashita, S.
Okamura, K., Kagiyama, Y., Shikata, K., and Mizutani, Y.: Copolymerization of Styrene-Divinylbenzene in the Presence of Hypalon-20, 267
Okano, T., Katayama, M., and Shinohara, I.: The Influence of Hydrophilic and Hydrophobic Domains on Water Wettability of 2-Hydroxyethyl Methacrylate-Styrene Copolymers, 369
Okubo, H., Honda, S., Yoshii, F., Morita, Y., and Kaetsu, I.: Casting of Organic Glass by Radiation-Induced Polymerization of Glass-Forming Monomers at Low Temperatures.

VI. Casting Polymerization of Methyl Methacrylate Prepolymer by Irradiation, 43
—— and Kaetsu, I.: Casting of Organic Glass by Radiation-Induced Polymerization of Glass-Forming Monomers at Low Temperatures. III. Casting and Polymer Properties of Monomer Systems Including Inner-Plasticizing Comonomers, 1
——, ——, Yoshida, M., Ito, A., and Kaetsu, I.: New Coating Materials Prepared by Radiation-Induced Polymerization. I. Mar-Resistant Coating Composition and Properties, 487
——, Kato, M., and Kaetsu, I.: Casting of Organic Glass by Radiation-Induced Polymerization of Glass-Forming Monomers at Low Temperatures. V. Casting and Polymer Properties of CR-39 Modified Monomer Systems, 27
——, Yoshii, F., Honda, S., and Kaetsu, I.: Casting Of Organic Glass by Radiation-Induced Polymerization of Glass-Forming Monomers at Low Temperatures. IV. Casting and Polymer Properties of Monomeric Systems Including Polyfunctional Monomers, 13
——, ——, Kaetsu, I., and Honda, S.: Casting of Organic Glass by Radiation-Induced Polymerization of Glass-Forming Monomers at Low Temperature. II. Optical Strain of Remaining Stress Type, 401
——: see Yoshida, M.
——: see Yoshii, F.
——: see Matsumoto, T.
Olabisi, O.: Volatility of Solvents from Polysulfone Melt, 1021
Olson, D. R. and Schroeter, S. H.: UV Screen Progenitors. Thermally Labile Urethane Derivatives of Hydroxphenylbenzotriazoles and Hydroxybenzophenones, 2165
Omichi, H., Yoshida, K., Suzuki, K., and Araki, K.: Improvement in Physical Properties of Poly(vinyl Chloride) by Radiation-Induced Graft Copolymerization with Mixed Monomers, 3387
Onabe, F.: Studies on Interfacial Properties of Polyelectrolyte-Cellulose Systems. I. Formation and Structure of Adsorbed Layers of Cationic Polyelectrolyte (Poly-DMDAAC) on Cellulose Fibers, 3495
Oohachi, Y., Hamano, H., Yoshida, T., Tsujita, Y., and Takizawa, A.: Gas Permeability and Side-Chain Structure of Poly(γ-benzyl L-Glutamate), 1469
Osawa, Z., Saito, T., and Kimura, Y.: Thermal Oxidation of Fractionated Polypropylene in Solution, 563
——: see Negishi, A.
Otterburn, M. S.: see Asquith, R. S.

Padhye, M. R.: see Venkataraman, A.
Pae, K. D. and Silano, A. A.: Shear Girdling Phenomenon in Polymers, 3021
Paipetis, S. A.: see Theocaris, P. S.
Pan, C. Y., Jensen, C. D., Bielech, C., and Habgood, H. W.: Permeation of Water Vapor Through Cellulose Triacetate Membranes in Hollow Fiber Form, 2307
Pandey, S. N. and Nair, P.: A Study of Distension Index and Distribution of Crosslinks in Formaldehyde-Crosslinked Cotton, 2941
Papanicolaou, G. C.: see Theocaris, P. S.
Papirer, E.: see Le Bras, J.
Paraliker, K. M. and Betrabet, S. M.: Effect of Accelerating Potential on the Determination of Structural Parameters of Cellulose by Electron Diffraction Technique, 59
Parekh, R. B.: see Shenai, V. A.
Parker, W. E.: see Jordan, Jr., E. F.
Pati, N. C.: see Nayak, P. L.
Patil, N. B.: see Chidambareswaran, P. K.
——: see Iyer, P. B.
Paul, D. R.: see Wahrmund, D. C.
Pavan, A.: see Rink, M.
Payne, L.: see McGill, W. J.
Pegoraro, M.: see Penati, A.
Pelzbauer, Z.: see Krasnikova, N. P.
Penati, A. and Pegoraro, M.: Swelling and Diffusion Properties from Elongation of Two-Phase Polymer Membranes, 3213
Pethrick, R. A.: see Gilbert, A. S.
Pham, Q. B.: see Bataille, P.
Phillips, D.: see Foster, R. J.
Phillips, R.: Sequence and Composition of an Amino Ethylene-Ethylene Sulfonate Copolymer by Carbon-13 Nuclear Magnetic Resonance, 3475
Pico, E. R. and Williams, M. C.: Solvation and Phase Separation in ABA Block Copolymers, 445
Pittsley, J. E.: see Sanford, P. A.
Pizzi, A.: Tannin-Formaldehyde Exterior Wood Adhesives Through Flavoniod B-Ring Crosslinking, 2397
——: Wattle Tannin Adhesives for Radio-Frequency Curing, 3603
—— and Rouz, D. G.: The Chemistry and Development of Tannin-Based Weather- and Boil-Proof Cold-Setting and Fast-Setting Adhesives for Wood, 1945
—— and ——: Resorcinol/Wattle Flavoniods Condensates for Cold-Setting Adhesives, 2717
—— and Scharfetter, H. O.: The Chemistry and Development of Tammin-Based Adhesives for Exterior Plywood, 1745
Plazek, D. J. and Agarwal, P.: Comparison of Similar Narrow Molecular Weight Polystyrenes, 2127
Podolsky, Y. Y.: see Brizitsky, V. I.
——: see Vinogradov, G. V.
Ponce-Vélez, M. A. and Campos-López, E.: The Thermal Oxidation of Guayule and *Hevea* Rubbers by Dynamic Differential Scanning Calorimetry, 2485
Porter, R. S.: see Mead, W. T.
Prabhakaran, R., Nair, E. M. S., and Sinha, P. K.: Notch Sensitivity of Polymers, 3011
Prassianakis, J.: see Theocaris, P. S.
Preedy, J. E.: see Large, R.
——: see Maddams, W. F.
Prevorsek, D. C.: see Aharoni, S. M.
Protopapas, S. A.: see Allen, N. S.
Prud'homme, R. E.: see Jolan, A. H.

Rabourdin, C.: see Sotton, M.
Radon, J. C.: Application of Instrumented Impact Test in Polymer Testing, 1569
Raff, R. A. V.: see Garg, B. K.
Ram, A.: see Narkis, M.
Rånby, B.: see Mehrotra, R.
Randall, J. C.: The Identity of the Amyl Branch in Low-Density Polyethylenes, 585
Randall, J. M., Hautala, E., and McDonald,

G.: Binding of Heavy Metal Ions by Formaldehyde-Polymerized Peanut Skins, 379
Rangaiah, G. P.: see Sirkar, K. K.
Rao, A. V. and Mehta, D. J.: Studies on Ultrafiltration Membranes. I. Development of Cellulose Nitrate Membranes, 3559
Ratner, B. D., Weathersby, P. K., Hoffman, A. S., Kelly, M. A., and Scharpen, L. H.: Radiation-Grafted Hydrogels for Biomaterial Applications as Studied by the ESCA Technique, 643
Ray, W. H.: see Min, K. W.
Rayford, W. E.: see Wing, R. E.
Rebenfeld, L.: see Avny, Y.
Rechav, Y.: see Siegmann, A.
Reynolds, J. D.: see McKague, Jr., E. L.
Ricco, T.: see Rink, M.
Rigdahl, M.: see Kubát, J.
Rink, M., Ricco, T., Lubert, W., and Pavan, A.: Force–Displacement Evaluation of Macromolecular Materials in Flexural Impact Tests. II. Influence of Rubber Content, Degree of Grafting, and Temperature on the Impact Behavior of ABS Resins, 429
Rodin, J. O.: see Heller, J.
Rokusha, T.: see Kaeriyama, K.
Ross, R. A.: see Fairbridge, C.
Roux, D. G.: see Pizzi, A.
Rudin, A. and Chang, R. J.: A Study of Melt Density of Flowing Linear Polyethylene, 781
——, Krein, H. L., and Hiscock, B. F.: Oriented Monofilaments from Glass-Reinforced Polypropylene, 299
Russell, C. R.: see Carr, M. E.
——: see Taylor, N. W.
——: see Trimnell, D.
——: see Wing, R. E.

Sacher, E.: The Effect of Paracrystal Formation of the Surface Tension of Annealed Polyimide, 2137
Sadhir, R. K.: see Varma, D. S.
Saito, T.: see Osawa, Z.
Sakaguchi, M. and Sohma, J.: Copolymerizations Initiated by Mechano-Radicals on Particle Surfaces of Poly(tetrafluoroethylene), 2915
Sakaguchi, Y.: see Tonogai, S.
Sakai, Y. and Tanzawa, H.: Poly(methyl Methacrylate) Membranes, 1805
Sakurada, I.: see Takezaki, J.
Salvi, A. S.: see Lokhande, H. T.
Salyer, I. O. and Usmani, A. M.: Electrosynthesis of Open-Pore Urea/Formaldehyde Structure, 3469
Samuelson, O.: see Johansson, M. H.
Sanford, P. A., Pittsley, J. E., Watson, P. R., Burton, K. A., Cadmus, M. C., and Jeanes, A.: Rheological and Other Physical Characteristics of Polysaccarides from Two Black Yeast-like Fungi, 701
Sarazin, D., Le Moigne, J., and Francois, J.: Description of a High-Performance Density Cell. Application to the New Investigations in the Field of Polymer Studies, 1377
Sarig, Y., Little, R. W., and Segerlind, L. J.: Mechanical Properties of Urea–Formaldehyde Foam, 419
Sasaki, S.: see Nomura, M.
Sato, M.: see Masuko, T.
Sato, T. and Nalepa, D. E.: Shear Degradation of Cellulose Derivatives, 865
Sato, Y. and Yashiro, T.: The Effect of Polar Groups on the Dielectric Loss of Polyethylene, 2141
Scharfetter, H. O.: see Pizzi, A.
Scharpen, L. H.: see Ratner, B. D.
Schmidt, P.: see Havens, M. R.
Schoenlein, L. H.: see Boerio, F. J.
Schrager, M.: The Effect of Spherical Inclusions on the Ultimate Strength of Polymer Composites, 2379
Schroeter, S. H.: see Olson, D. R.
Schwartz, N. V.: see Brazier, D. W.
Segerlind, L. J.: see Sarig, Y.
Seldén, R.: see Kubát, J.
Senich, G. A. and MacKnight, W. J.: Dynamic Spring Analysis and Its Application to the Polystyrene Melt Relaxation, 2633
Senō, M.: see Igawa, M.
——: see Nomura, H.
Seto, S.: see Tonogai, S.
Shafizadeh, F., Lai, Y. Z., and McIntyre, C. R.: Thermal Degradation on 6-Chlorocellulose–Zinc Chloride Mixture, 1183
Shah, B. N.: see Blanks, R. F.
Shah, R. V.: see Venkatesh, G. M.
Shalaby, S. E., Bayzeed, A. M., and Hebeish, A.: Factors Affecting Polymerization of 2-Methyl-5-vinylpyridine in Poly(ethylene Terephthalate) Fibers Using Benzoyl Peroxide as Initiator, 1359
——: see Hebeish, A.
Sheldon, R. P.: see Fozard, B.
Shen, M.: see Hiratsuka, H.
Shenai, V. A. and Parekh, R. B.: Studies in Dyeing. II. Effect of Crystal Modification of Disperse Dyes on Polyester Dyeing at 130°C, 2069
Shetty, R. and Han, C. D.: A Study of Sandwich Foam Coextrusion, 2573
Shibayama, K.: see Iisaka, K.
Shikata, K.: see Okamura, K.
Shimura, Y.: Degraded Products in Weathered Polymers, 1491
Shinohara, I.: see Okano, T.
Shrawagi, S.: see Lai, J. H.
Shulka, S. R.: see Chidambareswaran, P. K.
Shur, Y. J.: see Sundgren, N.
Siegmann, A., Tirosh, N., Narkis, M., and Rechav, Y.: Controlled Release of Propham from Plastic Granules, 1015
Silano, A. A.: see Pae, K. D.
Silberberg, J. and Han, C. D.: The Effect of Rubber Particle Size on the Mechanical Properties of High-Impact Polystyrene, 599
Singh, S. and Hamielec, A. E.: Liquid Exclusion Chromatography. A Technique for Monitoring the Growth of Polymer Particles in Emulsion Polymerization, 577
Sinha, P. K.: see Prabhakaran, E. M. S.
Sirkar, K. K., Agarwal, N. K., and Rangaiah, G. P.: The Effect of Short Air-Exposure Periods on the Performance of Cellulose Acetate Membranes from Casting Solutions with High Cellulose Acetate Content, 1919
Sivaram, S. and Naik, K. M.: Lewis Acid on Polymeric Carriers as Initiators in Carbenium Ion Polymerizations: Polystyrene-Aluminum Chloride, 3293
Slagowski, E. L.: see Chang, E.-P.
Smit, J. A. M.: see Vrijbergen, R. R.

Smith, C. H.: see Jamieson, D. R.
Smith, Jr., S.: see Jordan, Jr., E. F.
Soeteman, A. A.: see Vrijbergen, R. R.
Sohma, J.: see Sakaguchi, M.
Sood, S. P.: see Fairbridge, C.
Sörvik, E. M.: see Hjertberg, T.
Sosa, J. M.: see Bellorin, C.
Sotton, M., Arniaud, A.-M., and Rabourdin, C.: Crystallinity and Disorder in Poly(ethylene Terephthalate) Fibers. Specific Example of Preoriented Yarns (POY), 2585
Sourirajan, S.: see Tweddle, T. A.
Spencer, H. G.: Transient Sorption by Two-Component Laminate Slabs in a Finite Bath, 3539
—— and Ibrahim, I. M.: A Note on the Effect of Water Vapor on the Permeability of Gases Across Ethyl Cellulose Membranes, 3607
Spruiell, J. E.: see Danford, M. D.
——: see Nadella, H. P.
Sreenivasan, S.: see Chidambareswaran, P. K.
Stannett, V.: see Liepins, R.
Stannett, V. T.: see Lee, K. L.
Stejskal, J. and Kratochvil, P.: Limits of the Chemical Composition Heterogeneity of Random Copolymers, 2925
Still, R. H.: see Chan, H. S. O.
Stout, E. I.: see Trimnell, D.
Stover, L. R.: see Weyers, R. E.
Strazielle, C. and Czlonskowska-Kohutnicka, Z.: Light-Scattering Studies on Solutions of High and Low Molecular Weight Polystyrene Mixtures Used as Models of Microgel-Containing Solutions, 1135
Subramanian, D. R.: see Venkataraman, A.
Subramanian, R. V.: see Mahalingham, R.
——: see Garg, B. K.
of the Relationship Between Grafting and Particle Size on Impact in Two Phase Plastics, 2427
Sundardi, F.: Graft Copolymerization of Hydrophilic Monomers onto Irradiated Polypropylene Fibers, 3163
Sundararajan, P. R.: Theoretical Evaluation of the Conformational Entropy of Fusion and the Melting Temperature of Polymers, 1391
Sundari, V. S.: see Varma, I. K.
Sundgren, N., Bergman, G., and Shur, Y. J.: Antiplasticization and Transition to Marked Nonlinear Viscoelasticity in Poly(vinyl Chloride) (PVC)/Poly-ε-caprolactone (PCL) Blends, 1255
Suprunchuk, T.: see Carlsson. D. J.
Surles, J. R.: see Liepins, R.
Suzuki, J., Iizuka, S., and Suzuki, S.: Ozone Treatment of Water-Soluble Polymers. III. Ozone Degradation of Polyacrylamide in Water, 2109
Suzuki, K.: see Omichi, H.
Suzuki, S.: see Suzuki, J.
Svanson, S. E.: Changes in NMR Characteristics of Cotton and Wool During Water Adsorption, 571

Takahashi, H.: see Igawa, M.
——: see Nomura, H.
Takezaki, J., Okada, T., and Sakurada, I.: Radiation-Induced Polymerization of Water-Saturated Styrene in a Wide Range of Dose Rate, 3311
Takita, H.: see Enomoto, S.
Takizawa, A.: see Oohachi, Y.
——: see Yoshida, T.
Tamai, Y.: see Matsunaga, T.
Tamura, K.: see Mori, K.
Tamura, S. and Gillham, J. K.: Pyrolysis–Molecular Weight Chromatography–Vapor-Phase Infrared Spectrophotometry: An On-Line System for Analysis of Polymers. IV. Influence of *Cis/Trans* Ratio on the Thermal Degradation of 1,4-Polybutadienes, 1867
Tan, V. and Kamal, M. R.: Morphological Zones and Orientation in Interjection-Molded Polyethylene, 2341
Tanabe, Y. and Kanetsuna, H.: Structure of Oriented Polystyrene Monofilaments and Its Relationship to Brittle-to-Ductile Transition, 1619
—— and ——: Brittle-to-Ductile Transition Based Upon Amorphous Orientation of Polystyrene Monofilaments, 2707
Tanaka, R.: see Mori, T.
Tanaka, T.: see Mori, T.
Tani, S.: see Minoura, N.
Tanlak, T., Ahmad, A., Treybig, M. N., and Anthony, R. G.: Polymerization of Styrene with *n*-Butyllithium in a Batch Reactor. A Mathematical Model, 315
Tanny, G. B. and Johnson, Jr., J. S.: The Structure of Hydrous Zr(IV) Oxide–Polyacrylate Membranes: Poly(acrylic Acid) Deposition, 289
Tanzawa, H.: see Sakai, Y.
Taylor, N. W., Fanta, G. F., Doane, W. M., and Russell, C. R.: Swelling and Rheology of Saponified Starch–*g*–Polyacrylonitrile Copolymers. Effect of Starch Granule Pretreatment and Grafted Chain Length, 1343
Teng, F. S.: see Mahalingham, R.
Teratani, H.: see Fukushima, J.
Theocaris, P. S., Paipetis, S. A., and Papanicolaou, G. C.: Indentation Studies in Plasticized Epoxy Polymers, 1417
——, ——, and ——: Indentation Studies in Aluminum-Filled Expoxies, 2245
—— and Prassianakis, J.: Interrelation of Mechanical and Optical Properties of Plasticized Epoxy Polymers, 1725
Tipper, C. F. H.: see Brown, W. P.
Tirosh, N.: see Siegmann, A.
Tonogai, S., Sakaguchi, Y., and Seto, S.: Curing Behavior of Two-Step Phenolics by Solvent Extraction, 3225
Törmälä, P.: Additional Broadening of Electric-Spin-Resonance Spectra of Nitroxyl Radicals in Poly(Ethylene Oxide), 2077
Treybig, M. N.: see Tanlak, T.
Trimnell, D., Stout, E. I., Doane, W. M., and Russell, C. R.: Preparation of Starch 2-Hydroxy-3-Mercaptopropyl Ethers and Their Use in Graft Polymerizations, 3579
Tritscher, G. E.: see Meyer, G. C.
Tsujita, Y.: see Oohachi, Y.
——: see Yoshida, T.
Tsukada, M.: Thermal Decomposition Behavior of Sericin Cocoon, 543
Tweddle, T. A. and Sourirajan, S.: Effect of Ethanol–Water Mixture as Gelation

Medium During Formation of Cellulose Acetate Reverse Osmosis Membranes, 2265

Ulicny, J. C.: see Dearlove, T. J.
Usmani, A. M.: see Salyer, I. O.

Van, B. T.: see Bataille, P.
Vanderschueren, J.: see Linkens, A.
Varma, D. S. and Sadhir, R. K.: Radiation-Induced Graft Copolymerization of Methyl Methacrylate onto Natural and Modified Wool. I. Grafting and Characterization, 883
——: see Varma, I. K.
Varma, I. K. and Geetha, V. K.: Poly(1,3,4-oxadiazoles). Effects of Structure on Polymer Properties, 411
——, Sundari, V. S., and Varma, D. S.: Thermal Behavior of Aryl-Aliphatic Polyamides, 2857
Vaughan, J. E.: see Michell, A. J.
Venkataraman, A., Subramanian, D. R., Ayare, D. S., Manjunath, B. R., and Padhye, M. R.: Spectral Studies on Cellulose Treated with Sodium Deuteroxide, 2901
Venkatesh, G. M., Bose, P. J., Shah, R. V., and Dweltz, N. E.: Studies on Heating and Cooling of Synthetic Fibers, Yarns, and Fabrics. I. Properties of Nylon and Polyester Filament Yarns on Heat Setting in Silicone Oil, 2357
Venkateswaran, A. and Desai, R. L.: Corona Treatment Changes Some Physical Properties of Cellulose
Villamizar, C. A.: see Han, C. D.
Vinogradov, G. V., Isayev, A. I., and Katsyutsevich, E. V.: Critical Regimes of Oscillatory Deformation of Polymeric Systems Above Glass Transition and Melting Temperatures, 727
——, ——, Mustafaev, D. A., and Podolsky, Y. Y.: Polarization-Optical Investigation of Polymers in Fluid and High-Elastic States Under Oscillatory Deformation, 665
——: see Brizitsky, V. I.
——: see Krasnikova, N. P.
Viswanadham, R., Agrawal, D. C., and Kramer, E. J.: Water Transport Through Reconstituted Collagen Hollow-Fiber Membranes, 1655
Vrentas, J. S. and Duda, J. L.: A Free Volume Interpretation of the Influence of the Glass Transition on Diffusion in Amorphous Polymers, 2325
——: see Duda, J. L.
Vrujbergen, R. R., Soeteman, A. A., and Smit, J. A. M.: Calibration of GPC with Polydisperse Standards, 1267

Wada, H.: see Enomoto, S.
Wada, T.: see Arai, H.
Wagner, H. B. and Grenley, D. G.: Interphase Effects in Polymer-Modified Hydraulic Cements, 813
Wahrmund, D. C., Paul, D. R., and Barlow, J. W.: Polyester–Polycarbonate Blends. I. Poly(butylene Terephthalate), 2155
Walden, J., Miller, I. F., and Gregor, H. P.: Kinetics of Sorption of Alphatic Acids by Oleophilic Anion Exchange Resins in Toluene, 555
Waly, A.: see Hebeish, A.
Warwicker, J. O.: Structural and Performance Changes in Polyester Yarn Brought About by Simultaneous Draw Texturing Processes, 187
——: The Swelling of Polyester in Dichloroacetic Acid, 869
Watson, P. R.: see Sanford, P. A.
Weathersby, P. K.: see Ratner, B. D.
Webb, K. K.: see Bolon, D. A.
Weigmann, H.-D.: see Avny, Y.
——: see Kamath, Y. K.
Wellinghoff, S. T. and Baer, E.: Microstructure and Its Relationship to Deformation Processes in Amorphous Polymer Glasses, 2025
Welsh, L. W.: see Hiraoka, H.
Wen, W. Y. and Lin, J. W.: Thermal Analysis of Styrene–Alkyl Methacrylate Polymers. II. Thermogravimetric Kinetics. 2285
——: see Lin, J. W.
Weyers, R. E., Blankenhorn, P. R., Stover, L. R., and Kline, D. E.: Effects of Sterilization Procedures on the Tensile Properties of Polycarbonate, 2019
White, J. L. and Ide, Y.: Instabilities and Failure in Elongational Flow and Melt Spinning of Fibers, 3057
——: see Danford, M. D.
——: see Ide, Y.
——: see Nadella, H. P.
Whitling, P. H.: see Foster, R. J.
Wiggs, J. H.: see Goldfinger, G.
Wiles, D. M.: see Carlsson, D. J.
Wilkes, G. L.: see Makarewicz, P. J.
Williams, D. R. G.: see Bartesch, H.
Williams, M. C.: see Pico, E. R.
Willis, D.: see Michell, A. J.
Wing, R. E., Rayford, W. E., Doane, W. M., and Russell, C. R.: Preparation of Insoluble Cationic Starches and Their Use in Heavy Metal Anion Removal, 1405
Wirsén, A. and Flodin, P.: Partially Dehydrochlorinated PVC. I. Structure, 3039
Wright, P. C.: see Fozard, B.
Wrigley, A. N.: see Jordan, Jr., E. F.
Wu, S.: Rheology of High Solid Coatings. I. Analysis of Sagging and Slumping, 2769
——: Rheology of High Solid Coatings. II. Analysis of Combined Sagging and Leveling, 2783

Yabani, A. M.: see Ingamells, W.
Yagi, K. and Han, C. D.: Multistage Stretching of High-Density Polyethylene Monofilaments in Melt-Spinning, 2553
Yamabe, T.: see Igawa, M.
——: see Nomura, H.
Yamada, M.: see Nakamura, S.
Yamada, S.: see Hamaya, T.
Yamaguchi, K., Hayakawa, N., and Okamoto, J.: Molecular Weight Characteristics of Tetrafluoroethylene–Propylene Copolymer Produced by Radiation-Induced Emulsion Copolymerization, 2653
Yamakawa, S. and Yamamoto, F.: Surface Modification of Polyethylene by Radiation-Induced Grafting for Adhesive Bonding. III. Oxidative Degradation and Stabilization of Grafted Layer, 2459
Yamamoto, F.: see Yamakawa, S.
Yamashita, S., Kato, S., Kawabata, N., and Okamoto, T.: Reclamation of Vulcanized Rubbers by Chemical Degradation. VIII.

Absorption of Oxygen and Degradation of cis-1,4-Polyisoprene by Phenylhydrazine–Iron(II) Chloride System, 353
——: see Minoura, Y.
Yanaka, M.: see Enomoto, S.
Yashiro, T.: see Sato, Y.
Yasuda, K.: see Fukushima, J.
Yasuda, Y. and Hirotsu, T.: Polymerization of Organic Compounds in an Electrodeless Glow Discharge. XI. Pressure in Glow Discharge, 1195
Yoshida, K.: see Omichi, H.
Yoshida, M., Okubo, H., and Kaetsu, I.: New Coating Materials Prepared by Radiation-Induced Polymerization. II. Study on the Polymerization Mechanism of Mar-Resistant Coating Composition, 823
——: see Okubo, H.
Yoshida, S.: see Nomura, H.
Yoshida, T., Takizawa, A., and Tsujita, Y.: Influence of Side-Chain Structure on Sorption of Xenon and Carbon-Dioxide Gas by Polypeptide Membranes, 279
——: see Oohachi, Y.
Yoshii, F., Okubo, H., and Kaetsu, I.: Casting of Organic Glass by Radiation-Induced Polymerization of Glass-Forming Monomers at Low Temperature. I. Optical Strain of Thermal Stream Type, 389
——: see Okubo, H.
Yu, P. C.: see Lin, C. C.

Zabarsky, R. D.: see Jordan, Jr., E. F.
Zakin, J. L. and Hunston, D. L.: Effects of Solvent Nature on the Mechanical Degradation of High Polymer Solutions, 1763
Ziderman, I. and Bel-Ayche, J.: Specific Hydroxide Ion Catalysis of the Endwise Depolymerization of Cellulose, 711
—— and ——: Kinetics for Unidirectional Endwise Chain Depolymerizations. Experiments with Amylose in Aqueous Alkaline Solutions, 1151
Zochniak, A.: Products of Polyaddition of 4′-4-Diphenylmethane Diisocyanate with Triethylene Glycol Glycolate, Thioglycolate, Lactate, and *p*-Hydroxybenzoate, 215
Zoller, P.: The Specific Volume of Poly(tetrafluoroethylene) as a Function of Temperature (30°–372°C) and Pressure (0–2000 kg/cm^2), 633

SUBJECT INDEX TO VOLUME 22

ABS resins, impact tests on, 429
Absorption, preferential, of binary solvents by poly(2-hydroxyethyl methacrylate) gels, 859
Acetoxy-*n*-chloroparaffins, synthesis of, as plasticizers for PVC, 851
Acetylene, plasma polymerization of, 1195
Acrylamide, graft polymerization on irradiated polypropylene, 3163
——, graft polymerization on paraformaldehyde, 1703
Acrylic acid, 125, 1303, 1509, 1529, 1547, 3163
——, *in situ* polymerization in polyester yarns, 125
——, graft polymerization on irradiated polypropylene, 3163
——, graft polymerization on paraformaldehyde, 1303
——, octadecyl ester, 1509, 1529, 1547
Acrylonitrile, 65, 967, 1081, 1195, 1303, 1343, 2991, 3163
——, copolymers with styrene, ϵ-caprolactone block copolymer blends with, impact plastics from, 1081
——, copolymers with styrene, shear viscosity of, influence of solvent on, 967
——, electropolymerization of, 65
——, graft copolymers with saponified starch, swelling and rheological properties of, 1343
——, polymerization on gelatinized starch, 2991
——, graft polymerization on irradiated polypropylene, 3163
——, graft polymerization on paraformaldehyde, 1303
——, plasma polymerization of, 1195
Activation volume, of polyethylene, 1715
Adhesion, of Kevlar aramid cords to rubber, 801
——, of plasma polymer films to metal substrates, 2395
Adhesive bonding, surface modification of polyethylene for, 2459
Adhesives, 1745, 1945, 2397, 2509, 2523, 2717, 3511
——, cold-setting, 2717
——, epoxy resin, diluted, 2509, 2523
——, gap-filling, 3511
——, tannin based, 1745, 1945, 2397
Adsorption, of γ-aminopropyltriethoxysilane, on iron, 203
Alkyd paints, air drying, reactive diluents for, 253
Alkyl methacrylates, co- and ter-polymers with styrene, 2275, 2285
Aluminum chloride, initiator for carbenium ion polymerization, bound to polystyrene, 3293
Amine, hindered, polypropylene photostabilization by, 3277
p-Aminoazobenzene, diffusion in SBS copolymers, 1105
Aminoethylene -ethylene sulfonate copolymers, sequence and composition of, by ^{13}C NMR, 3475
Amino resin—shellac blends, curing of, 3035
γ-aminopropyltriethoxysilane, adsorption on iron, 203
Amylose, depolymerization of, 1151
Anion removal, heavy metal, insoluble cationic starches for, 1405
Annealing, polypropylene fibers, and drawing, 3121
Antifoaming agent, poly(dimethylaminoethyl methacrylate) as, 1479
Antimony trioxide, flame retardant for cellulose fabrics, 3283
Armamid, Kevlar, cords of, adhesion to rubber, 801
Aromatic diols, effect on crosslinking and mechanical properties of liquid rubber, 3101
Autoclaving, effect on tensile properties of polycarbonate, 2019
Azoisobutyronitrile, polymerization of styrene initiated by, polymerization mechanism and molecular weight distribution in, 3111

BET, characterization of poly(*p*-phenylene) powders by, 1955
Barium titanate filled polypropylene, 2383
Barrier coats, elimination of oxygen inhibition of polymerization by, 2543
Barrier properties versus surface tension of fluorinated surfaces, 1007
Bending properties of films, 1443
Binding, heavy metal ions, by formaldehyde polymerized peanut skins, 378
Biodegradable plastics, from starch graft poly(methyl acrylate) copolymers, 459
Biodegradation of synthetic polymers, 3419, 3435
Biomaterial applications, radiation grafted hydrogels, ESCA study of, 643
Birefringence, of polybutadienes and polyisoprenes, 665
Bisester anhydrides, polyesters from divalent salts of mono(hydroxyethyl) phthalate, monoepoxides and, 3371
Bis(4-hydroxy-3-methoxybenzylidene)acetone, photocrosslinkable polymers from, 239
2,5-Bis(4-hydroxy-3-methoxybenzylidene)cyclopentanone photocrosslinkable polymers from, 239
1,1-Bis(1′-methyl-2′-vinyl-4′,6′-heptadienoxy)-ethane, reactive diluent for alkyd paints, 253
Bisphenol A carbonate, blends with poly(butylene terephthalate), 2155
Bisphenol A carbonate-dimethyl siloxane copolymers, 3539
Bisphenol A diglycidyl ether, mono(hydroxyethyl)phthalate salts and anhydrides, cured metal containing resins from, 2093
Bisphenols, light sensitive, preparation of, 239
Blends, amino resin-shellac, cure of, 3035
——, impact resistant, from poly(styrene/acrylonitrile) and block copolymers of rubbery styrene, butadiene, and ϵ-caprolactone, 1081

——, polyester/cotton, chemical modification of, 847
——, polyester/polycarbonate, 2155
——, polyethylene/polyoxymethylene, structure and mechanical and rheological properties of, 1895
——, polymer/cellulose, prepared from solution, 2533
——, poly(phenylene oxide)/ABA poly(styrene-*b*-isoprene, compatability of, 719
——, polystyrene/2,6-dimethyl-1,4-polyphenylene oxide, crazing of, 2025
——, poly(vinyl chloride)/poly ϵ-caprolactone, nonlinear viscoelasticity of, 1255
——, wool/cotton, IR quantitative analysis of, 2677
Bonding, hydrophobic, 873
Branching, long-chain, effects on viscoelastic properties of polyethylene melts, 1677
Brittle-ductile transition, polystyrene filaments, 2707
Bromostyrene, flame retardancy of polyesters crosslinked by, 3177
Butadiene, 1081, 1119, 2387, 2907, 3081
——, block copolymers with styrene, relaxation properties of, 3081
——, copolymers, high impact plastics from, 1081
——, copolymers with α-methylstyrene, stress–strain behavior of, 2907
——, copolymers with styrene and lactones, 1119
——, triblock copolymers with α-methylstyrene and styrene, 2387
n-Butyl lithium, batch polymerization of styrene with, a mathematical model, 315

Capillary die, high-pressure extrusion in, properties of poly(ethylene terephthalate) prepared by, 163
ϵ-Caprolactone, copolymers, high-impact plastics from, 1081
Carbenium ion polymerizations, Lewis acid on polymeric carriers as initiators of, 3293
Carbon black-filled polyethylene, switching materials from, 1163
Carbon dioxide, sorption by polypeptides, 279
^{14}C study of biodegradation of synthetic polymers, 3419, 3435
Carboxymethyl cellulose, formation of peroxides on, 3363
Cellophane, cyanoethylation of, 875
Cellulose, 59, 497, 615, 679, 711, 905, 1183, 1853, 2533, 2901, 3009, 3185, 3283, 3345, 3495, 3363
——, acrylic acid grafted, formation of peroxides on, 3363
——, aldehyde, formation of peroxides on, 3363
——, blends with cellulose triacetate, preparation from solution, 2533
——, 6-chloro-, thermal degradation of, 1183
——, corona treated, 3185
——, cotton, photoiniated polymerization of vinyl monomers on, 905
——, cotton, photoinitiated polymerization of glycidyl methacrylate on, 905
——, depolymerization, specific hydroxide ion catalysis of, 711
——, ethyl-, permeation of gases through, 3607
——, ethyl-, thermal degradation of, 1459
——, fibrous, native, and mercerized, effect of ethylene diamine and methanol on, 3009
——, hydro-, degradation of, 615
——, methyl-, reverse osmosis membranes, 1607
——, stability of crosslinks, conditions for, 3345
——, structural parameters of, 59
——, thermal decomposition, in inert and oxidizing atmospheres, 497
——, thermal decomposition, in presence of zinc chloride, 1183
——, treatment in sodium deuteroxide, spectral studies on, 2901
Cellulose acetate, 1093, 1459, 1919, 2265, 2609, 2867
——, membranes, effect of air exposure on, 1919
——, membranes, hyperfiltration, selective transport of ions in, 1093
——, membranes, permeation of metal complex solutions through, 2867
——, membranes, reverse osmosis, effect of ethanol-water gelation medium on, 2265
——, membranes, reverse osmosis, permselectivity of aromatic compounds in organic media through, 2609
——, thermal degradation of, 1459
Cellulose derivatives, degradation, shear, 865
——, degradation, thermal, 1459
——, formation of peroxides on, 3363
Cellulose fabric, flame retardant action of chlorine compounds and antimony trioxide on, 3283
Cellulose fibers, adsorbed layers of poly(1,1-dimethylpiperidinium-3,5-diallylmethylene chloride) on, 3495
Cellulose nitrate, ultrafiltration membranes of, 3559
Cellulose phenylthiophosphonate, flame retardant properties of, 679
Cellulose/polyacrylonitrile blends, preparation from solution, 2533
Cellulose triacetate/cellulose blends, preparation, 2533
Cellulose triacetate, membranes, hollow fiber, water-vapor permeability of, 2307
Cements, hydraulic, polymer modified, interphase effects in, 813
Chelation, effect on ion transport in cellulose acetate membranes, 1093
Chemical degradation, of hydrocellulose, 615
——, of polymers, 353, 615
——, of rubbers, 353
Chemical modification of cotton/polyester blends, 847
Chlorine compounds, flame retardants for cellulose fabrics, 3283
n-Chloroparaffins, 851
Chromatography, gas-liquid, 1021
——, inverse gas, 1021
——, liquid exclusion, monitoring growth of polymer particles in emulsion polymerization by, 577
Cloud point, determination of ϕ-cosolvents for poly(vinyl chloride) by, 149
——, isotherms for polystyrene-polybutadiene-tetralin system, 593
Coating, 65, 487, 823, 3587
——, by radiation induced polymerization, 487, 823
——, electroinitiated polymerization, through packed and fluidized bed electrodes, 3587
——, of electrodes, by electropolymerization, 65

Coatings, high solid, rheology of, 2769, 2783
Collagen, reconstituted, membranes from, water transport in hollow fiber, 1655
Color, internal scattering effect on, in fabrics, 3459
Comonomers, inner plasticizing 1, 13
Compatability, of ABA poly(styrene-*b*-isoprene)/polyphenylene oxide blends, 719
Composites, 837, 989, 2047, 2379, 3203, 3249
——, epoxy-graphite, 837
——, fiber reinforced, critical fiber length in, 3203
——, films, structure-property relationships of, 989
——, polyethylene, preparation and properties of, 3249
——, polymer, dynamic mechanical analysis of curing in, 837
——, polymer, effect of spherical inclusions on strength of, 2379
——, wood fiber-synthetic polymer, properties of, 2047
Computer simulation, of emulsion polymerization, batch, 89
Configuration, chain, of polystyrene, by small angle x-ray scattering, 889
Conformational entropy, of polymer melting and fusion, 1391
Copolymerization, graft, radiation induced, of methyl methacrylate on wool, 883
——, of styrene-divinylbenzene in the presence of Hypalon-20, 267
Copolymers, acrylonitrile-saponified starch, 1343
——, acrylonitrile-styrene, 967, 1081
——, butadiene-α-methylstyrene, 2907
——, butadiene-styrene, 1105, 1119, 3081
——, butadiene. styrene, α-methylstyrene, 2387
——, ϵ-caprolactone, 1081
——, ethylene-vinyl acetate, 3525
——, γ-glycidoxypropyltrimethoxysilane-glycidyl methacrylate, 487, 823
——, glycidyl methacrylate-(γ-glycidoxypropyltrimethoxysilane, 487, 823
——, glycidyl methacrylate-cotton cellulose, 905
——, hexafluoropropylene-vinylidene fluoride, 841
——, hexahydrophthalic acid, diglycidyl ester-hexahydrophthalic anhydride-mono(hydroxyethyl)phthalate, divalent metal salts, 2093
——, hexyl methacrylate, 53
——, 2-hydroxyethyl methacrylate, 1, 369
——, 2-hydroxyethyl methacrylate-styrene, 369
——, isoprene-styrene, 719
——, maleic anhydride- mono(hydroxyethyl)-phthalate salts-bisepoxides, 2093
——, maleic anhydride- vinyl acetate, 1991
——, methyl acrylate-starch, 459
Copolymers, methyl α-chloroacrylate, 53
Copolymers, methyl methacrylate, 1, 27, 883, 1491, 3301
——, methyl methacrylate-methylvinylketone, 1491
——, α-methylstyrene- butadiene, 2907
——, methylvinylketone-2,6-di-*t*-butylacryloylaminomethylphenolstyrene, 1491
——, mono(hydroxyethyl)phthalate, divalent metal salts-bisester anhydrides-monoepoxides, 3371
——, *n*-octadecyl acrylate, 1509, 1529, 1547
——, poly(vinyl chloride), 3387
——, propylene-tetrafluoroethylene, 2653
——, saponified starch-acrylonitrile, 1343
——, starch 2-hydroxy-3-mercaptopropyl ethers, 3579
——, starch-methyl acrylate, 459
——, styrene-acrylonitrile, 967, 1087
——, styrene-alkyl methacrylates, 2275
——, styrene-butadiene, 1105, 1119, 3081
——, styrene-butadiene-lactones, 1119
——, styrene-(2,6-di-*t*-butyl-4-acryloylaminomethylphenol), 1491
——, styrene-divinylbenzene, 267
——, styrene-(2-hydroxyethyl methacrylate), 369
——, styrene, butadiene-(α-methylstyrene), 2387
——, styrene-methylvinylketone, 1491
——, styrene-poly(vinyl *p*-nitrobenzoate), 2011
——, tetrafluoroethylene-propylene, 2653
——, vinyl acetate-ethylene, 3525
——, vinyl acetate-maleic anhydride, 1991
——, vinyl acetate-vinyl chloride, 2661
——, vinylidene fluoride-hexafluoropropylene, 841
——, wool-methyl methacrylate, 883, 3301
——, block, 445, 719, 1105, 1119, 2387, 2907
——, block, α-methylstyrene and butadiene, 2907
——, block, solvation, and phase separation in, 445
——, block, styrene-butadiene-styrene, diffusion of *p*-aminoazobenzene in, 1105
——, block, styrene-diene-lactone, 1119
——, block, styrene-isoprene, compatability of blends with poly(phenylene oxide), 719
——, random, limit of chemical composition heterogeneity of, 2925
——, triblock, α-methylstyrene-butadiene-styrene, preparation and stress–strain properties of, 2387
Corona treated cellulose, physical properties of, 3185
Cotton, 533, 571, 847, 1243, 1853, 2713, 2677, 2941
——, formaldehyde crosslinked, distribution of crosslinks in, 2941
——, modified by introduction of aromatic amino groups, 2713
——, NMR characterization of, during water adsorption, 571
——, oxidized, graft polymerization of vinyl monomers on, 1853
Cotton fibers, swelling of, 1243
——, swollen, dyeing behavior, and swelling mechanism of, 533
Cotton/polyester blends, chemical modification of, 847
Cotton/wool blends, IR quantitative analysis of, 2677
CR-39, organic glasses from copolymers of, 27
——, radiation induced copolymerization of, 27
Crack propagation, in low-density polyethylene, 2691
Crazing, amorphous polymer glasses, 2025
Creep, comparison of rate in similar narrow molecular weight polystyrenes, 2127
m-Cresol, alkali catalyzed reaction with formaldehyde, kinetics of, 343
Crosslinked cellulose, conditions for stability of, 3343

Crosslinking, photo, 239
Crystallinity, side chain, of *n*-octadecyl acrylate containing polymers, 1547
Crystallization, liquid induced, of poly(ethylene 2,6-naphthalate), 3347
Curing, in polymer composites, dynamic mechanical analysis of, 837
Cyanoethylation, of cellophane, 875
Cyanuric chloride, heavy metal scavengers from, 3075

Damping properties, of high-impact polystyrene, 467
Deformation, oscillatory, of polymeric systems, 727
——, oscillatory shear, of polybutadienes and polyisoprenes, 665
——, polystyrene, relation to molecular weight parameters, 1029
Degradation, 113, 353, 615, 679, 711, 865, 999, 1183, 1459, 1735, 1763, 1867, 2085, 2173, 2187, 2197, 2207, 2415, 2669, 2891, 2953
——, analysis of trace volatile products from, 2669
——, by high-speed stirring, aqueous polyacrylic acid and sodium salt solutions, 2207
——, chemical, 353, 615, 711
——, chemical, hydrocellulose, 615
——, chemical, rubbers, 353
——, mechanical, polymer solutions, effect of solvents, 1763
——, photochemical, poly(ethylene 2,6-naphthalate), 2085
——, photo-, polypropylene, 2953
——, shear, cellulose derivatives, 865
——, thermal, 113, 679, 999, 1459, 1867, 2415, 2891
——, thermal, cellulose derivatives, 679, 1183, 1459
——, thermal, cellulose phenylthiophosphonate, 679
——, thermal, 6-chlorocellulose, 1183
——, thermal, polybutadienes, *cis/trans* ratio effect on, 1867
——, thermal, polybutadienes, heating rate effect on, 113
——, thermal polybutadienes, thermogravimetric analysis of, 999
——, thermal, poly(2,6-dimethyl-1,4-phenylene oxide), 2891
——, thermal, poly(vinyl chloride), effect of HCl on, 2415
——, ultrasonic, cavitating, addition polymers, 1735
Dehydrochlorination, poly(vinyl chloride), photosensitized, 1129
Densimeter, automatic, GPC detector, 1159
Density, melt, polyethylene, linear, flowing, 781
Density cell, high performance, 1377
Depolymerization, amylose, 1151
——, cellulose, specific hydroxyl ion catalysis of, 711
——, poly(ε-caprolactam), 361
Deuterium exchange, with cellulose, spectral study of, 2901
4,4′-diaminodiphenyl-3,3′-dicarboxylic acid, prepolymers from diacetamido compounds and, 2173, 2187, 2197
2,6-di-*t*-butyl-4-acroylaminomethylphenol, terpolymers from, 1491
6-Dibutylamino-1,3,5-triazine-2,4-dithiol, crosslinking poly(vinyl chloride) by, 2685
Dielectric loss, polyethylene, polar group effect on, 2141
Dielectric properties, polypropylene, barium titanate filled, 2383
Dielectric relaxation, epoxy/polyglycol elastomers, 2881
Dies, tapered, pressure drop through, 1775
Diethyl vinyl phosphonate, 2403
Differential scanning calorimetry (DSC), 267, 1547, 2485
——, copolymerization of styrene-divinylbenzene, 267
——, *n*-octadecyl acrylate co- and homopolymers, 1547
Differential thermal analysis (DTA), 215, 543
——, polyurethanes from 4,4′-diphenyl methyl diisocyanate and various esters, 215
Diffusion, *p*-aminoazobenzene in SBS block copolymers, 1105
——, and swelling properties, from elongation of 2-phase membranes, 3213
——, disperse dyes in polystyrene, 1431
——, ethylbenzene in molten polystyrene, 689
——, in amorphous polymers, effect of T_g on, 2325
N,N,-Di(β-hydroxyethyl)dithiocarbamate, poly(vinyl chloride) containing, reaction with metal ions, 1787
Diluents, reactive, for alkyd paints, 253
Dimethyldiacetoxysilane, viscose rayon modification by, 511
Dimethylsiloxane-bisphenol A carbonate block copolymers, 3539
4,4′-Diphenylmethane diisocyanate, polyurethanes from, 215
Distension index, formaldehyde crosslinked cotton, 2941
Draw texturing process, simultaneous, effects on polyester yarns, 187
Drawing, and annealing, polypropylene fibers, 3121
Dyeing, polyesters, effect of crystal modification of disperse dyes on, 2069
Dynamic mechanical analysis of curing in polymer composites, 837
Dynamic spring analysis, application to polystyrene melt relaxation, 2633

Elastomers, epoxy/polyglycol, dielectric relaxation in, 2881
Electrode coating, by electropolymerization, 65
Electroinitiated polymerization coatings, 3587
Electron spectroscopy for chemical analysis (ESCA), radiation grafted hydrogels studied by, 643
Electron spin resonance (ESR), nitroxyl radicals in poly(ethylene oxide), 2077
Electropolymerization, electrode coating by, 65
Electrosynthesis of open pore urea/formaldehyde structure, 3469
Emulsion copolymerization, tetrafluoroethylene-propylene, radiation induced, 2653
Emulsion polymerization, batch, mathematical model for, 89
Entropy, conformational, polymer melting and fusion, 1391
Epoxy/polyglycol elastomers, dielectric relaxation in, 2881
Epoxy polymers, plasticized, indentation studies in, 1417

——, plasticized, mechanical, and optical properties of, 1725
Epoxy resin, glass filled, effect of absorbed moisture on, 3547
——, adhesives from diluted, physical properties and lap shear strengths, 2509, 2523
——, aluminum filled, indentation studies on, 2245
——, mica flakes filled, molecular motions in, 1845
——, settling of fillers during cure, 1701
——, swelling and glass transition in humid environments, 1643
Ethylene, plasma polymerization of, 1195
Ethylene glycol bis(glycidyl phthalate), anhydrides and mono(hydroxyethyl)-phthalate salts, metal containing cured resins from, 2093
Ethylene sulfonate-aminoethylene copolymers, sequence and composition of, 3475
Ethylene-vinyl acetate copolymers, surface free energy of, 3525
Ethylene-d_4, preparation and polymerization of, 2499
Extrusion, co-, sandwich foams, 2573
——, high pressure in capillary die, poly(ethylene terephthalate) prepared by, 163

Failure, and elongational flow, polymer melts, 1061
Fatigue, polycarbonate, effect of notches and glass fiber reinforcement on, 2067
——, polystyrene, high impact, 467
Fiber length, critical, reinforced composites, 3203
Fiber recovery, 1631
Filaments, oriented mono-, from glass reinforced polypropylene, 299
Filled glassy polymers, particulate, 3531
Filler, aluminum, for epoxy resins, 2245
——, barium titanate, for polypropylene, 2383
——, effect of particle size on properties of poly(methyl methacrylate), 1321
——, mica flakes, for epoxy resins, 1845
——, link with elastomer, in reinforcement of rubber, 525
——, particulate, 2391
——, settling behavior in curing epoxy resins, 1701
Films, bending properties of, 1443
——, composite, structure-property relationships of, 989
——, plasma-deposited polymer, effect of γ-irradiation on, 2805
——, polyethylene, 2721, 2739, 2751, 2761, 2793, 2799, 3027
——, polyethylene, blown, 2721, 2739, 2751, 2761, 3027
——, polystyrene, 2793, 2799
Fire retardancy, effect of C-Br bond strength and synergists on, in bromostyrene crosslinked polyester, 3177
Flame retardant action, chlorine compounds and antimony trioxide, on cellulose fabrics, 3283
Flame retardant properties, cellulose phenylthiophosphonate, 679
Flame retardants, halogenated phosphates, for polypropylene, 2451
——, vinyl phosphonates, grafted on poly(ethylene terephthalate), 2403
Flexural impact tests, 429
Flory exchange energy parameter, 1021
Flory-Huggins interaction parameter, 1021
Flow, capillary, anomalous behavior of unplasticized poly(vinyl chloride) compounds in, 2435
——, elongational and failure, polymer melts, 1061
——, elongational, instabilities and failure in melt spinning and, 3057
Fluidized bed and packed electrodes, electroinitiated polymerization coatings in, 3587
Fluorinated surfaces, surface tension versus barrier properties of, 1007
Foam, poly(vinyl chloride), crosslinked, 2685
——, sandwich, coextrusion of, 2573
Foaming, in sodium dodecylphenylsulfonate solutions, inhibition by poly(dimethylaminoethyl methacrylate, 1479
Foams, urea-formaldehyde, mechanical properties of, 419
Formaldehyde- (*m*-cresol) condensation, kinetics, 343
Formaldehyde-urea, foams, 419
——, granules, controlled release of Prophan from, 1015
Free energy, surface, ethylene-vinyl acetate copolymers, 3525
Free volume theory, interpretation of T_g effect on diffusion in amorphous polymers by, 2325
Fungi, Black yeast like, polysaccharides from, physical properties of, 701

γ-ray induced polymerization of ethylene, 3485
Gas permeability, ethylcellulose membranes, water-vapor effect, 3607
——, irradiated silicone rubber membranes, 833
——, poly(γ-benzyl-L-glutamate), 1469
Gases, sorption by polypeptides, 279
Gel permeation chromatography, automatic densimeter detector, 1159
——, calibration, 1267, 3343
——, correction for broad molecular weight distribution, 597
——, determination of solubility parameters by, 3235
Gelatinized starch, graft polymerization of acrylonitrile on, 2991
Girdling, shear, 3021
Glass, organic, casting of, 1, 13, 27, 43, 389
——, organic, crosslinked, properties of, 13, 27
——, organic, effect of polyfunctional monomers on, 13
——, organic, inner-plasticizing monomers in, 1, 13
——, organic, monomers for, 1, 13, 27, 43, 389
——, organic, radiation induced formation of, 1, 13, 27, 43, 389
Glass-filled epoxy resin, 3547
Glass reinforced polypropylene, oriented monofilaments from, 299
Glasses, amorphous polymer, deformation, relation of microstructure to, 2025
Glassy polymers, particulate filled, 3531
Glow discharge, electrodeless, polymerization of organic compounds in, 1195
——, r-f, polymerization of saturated hydrocarbons by, 917
Grafted polymers, radiation-, biomedical applications of, 643

Glutarimide, lithographic resists containing, preparation, 3397
γ-Glycidoxypropyltrimethoxysilane, copolymers with glycidyl methacrylate, mar resistant coatings from, 487, 823
Glycidyl methacrylate, copolymers with γ-glycidoxypropyltrimethoxysilane, mar resistant coatings from, 487, 823
——, photopolymerization on cotton cellulose, 905
Glycol bisallyl carbonate, see CR-39
Graft copolymers, from starch -2-hydroxy-3-mercaptopropyl ethers, 3579
Grafting, relation with particle size, effect on impact in two-phase plastics, 2427
Guar gums, hydrogels from, 1665
Guayule rubber, thermal oxidation, 2485

Hair fibers, human, wetting, 2295
3,9-Haloneopentoxy-2,4,8,10-tetraoxa-3,9-diphospaspiro[5,5]undecano-3,9-dioxides, flame retardants for polypropylene, 2451
Heavy metal anion removal, insoluble cationic starches for, 1405
Heavy metal scavengers, from cyanuric chloride, 3075
Hercosett—57 resin, see polyaminoamide resin
Heterocyclic polymers, aromatic, 2965
Heterogeneity, chemical, random polymers, 2925
Heterogeneous network polymers, liquid crystal structure, 2817
Heterogeneous polymerization, methacryalates, 2471
Hevea rubber, thermal oxidation of, 2485
Hexafluoropropylene-vinylidene fluoride copolymers (Viton A), effect of coolant on, 841
Hexahydrophthalic acid diglycidyl ester, metal containing resins from copolymers of, 2093
Hexahydrophthalic anhydride, metal containing resins from copolymers of, 2093
Hexyl methacrylate, electron sensitive resists from co- and terpolymers of, 53
Hollow fiber membranes, cellulose triacetate, 2307
Humidity, effect on swelling and T_g of epoxy resins, 1643
Hydraulic cements, polymer modified, 813
Hydrocarbons, saturated, plasma polymerization of, 917
Hydrocellulose, degradation, 615
Hydrogels, containing ammonium nitrate, melting of, 1665
——, radiation grafted, ESCA study of, 643
Hydrogen peroxide—thiourea redox system, 1853, 2253
Hydrophilic monomers, graft polymerization on irradiated polypropylene fibers, 3163
Hydroxybenzophenones, urethane derivatives of, UV screens from, 2165
2-Hydroxyethyl methacrylate, copolymers with styrene, wetability, 369
——, *in situ* polymerization in polyester yarns, 125
——, radiation induced copolymerization of, 1
Hydroxyphenylbenzotriazoles, urethane derivatives of, UV screens from, 2165
Hypalon-20, copolymerization in the presence of, 267

Ignition properties of polymers, 1911
Impact, two-phase plastics, effect of grafting and particle size on, 2427
Impact resistant plastics, blends of poly(styrene/acrylonitrile) with ϵ-caprolactone block copolymers, 1081
Impact tests, instrumented, 1569
——, ABS resins, 429
Inclusions, spherical, effect or strength of polymeric composites, 2379
Indentation, aluminum filled epoxies, 2245
——, plasticized epoxy polymers, 1417
Infrared analysis, of polyurethanes, 215
——, wool/cotton blends, 2677
Infrared spectrophotometry, vapor-phase, on-line, 1867
Infrared spectroscopy, reflection-adsorption, use in adsorption studies, 203
——, study of oriented blown polyethylene films by, 2761
Instability, melt flow, during extrusion, 1781
Interfacial polycondensation, 2857
Interfacial properties of polyelectrolyte-cellulose systems, 3495
Interferometry, Fizeau, 1725
Interphase effects, polymer modified hydraulic cements, 813
Ion-exchange resins, anionic, oleophilic, sorption of aliphatic acids by, 555
——, by graft polymerization on magnetic polymer substrates, 1927
Irradiation, effect on reaction of metal ions with poly(vinyl chloride) containing N,N,-di(β-hydroxyethyl)dithiocarbamate, 1787
——, γ-, effect on plasma deposited polymer films, 2805
——, γ-, effect on tensile properties of polycarbonate, 2019

Kinetics of polyesterification, 1797

Laminate slabs, two component, transient sorption by, 3539
Laminates, treated fibers and polyolefins, 2047
Lap shear strengths, diluted epoxy adhesives, 2509, 2523
Light scattering, polystyrene mixtures, models of microgel containing solutions, 1135
Light stability, polypropylene, effect of reduction of quinones added during thermal processing, 1451
Lignins, use in rubber compounding, 1885
Liquid crystal structure, heterogeneous network polymers, 2817
Liquid rubber, curing effect of aromatic diols on crosslinking and mechanical properties of, 3101
Liquid rubbers, polybutadiene based polyurethanes, 1817
Loss tangent, ABA poly(styrene-*b*-isoprene)/poly(phenylene oxide) blends, 719
Luminescence, poly(4-methylpent-1-ene), 625

Magnetic polymer substrates, graft polymerization on, 1977
Maleic anhydride, copolymers with vinyl acetate, controlled drug release from partial ester of, 1991
——, copolymers, metal containing resins from, 2093
Manganic pyrophosphate, graft polymerization initiation by, 2991, 3003
Mar resistant coatings, 487, 823

Mathematical model, batch emulsion polymerization, 89
——, batch polymerization of styrene with *n*-butyl lithium, 315
——, predicting apparent rate constants for polyesterification from, 1797
Mechanical properties, interrelation with optical properties, plasticized epoxy polymers, 1725
Mechanism, polymerization, 823
Mechano-radicals, copolymerization on polytetrafluoroethylene initiated by, 2915
Melt flow, instability during extrusion, 1781
Melting and fusion of polymers, conformational entropy of, 1391
Melt spinning, multistage, stretch of HDPE in, 2553
——, nylon 66, 3351
Membranes, cellulose acetate, effect of air exposure, 1919
——, cellulose acetate, hyperfiltration, 1093
——, cellulose acetate, permeation of metal complex solutions through, 2867
——, cellulose acetate, reverse osmosis, 2265, 2609
——, cellulose acetate, reverse osmosis, permselectivity of aromatic compounds through, 2609
——, cellulose nitrate, ultrafiltration, 3559
——, cellulose triacetate, hollow fiber, 2307
——, collagen, reconstituted, hollow fiber, 1655
——, ethylcellulose, effect of water vapor on permeability of gases through, 3607
——, hollow fiber, 1655, 2307
——, hydrous Zr(IV) oxide—polyacrylate, structure of, 289
——, hyperfiltration, 1093
——, poly(L-methionine), permeability to water vapor, 1593
——, poly(methyl methacrylate), water permeability, 1805
——, polypeptide, absorption of gases, 279
——, poly(vinyl acetate)-sodium poly(styrenesulfonate) interpolymers, crosslinking by 1,1,1-tris(hydroxymethyl)-propane, 2401
——, reverse osmosis, dynamically formed, 1607
——, silicone rubber, irradiated, gas permeability in, 833
——, two-phase, swelling and diffusion from elongation of, 3213
——, ultrafiltration, 3559
Mercerized and native fibrous cellulose, effect of ethylene diamine and methanol on fine structure changes, 3089
Metallocene modified polymers, 3449
Methacrylates, 1, 27, 43, 53, 487, 823, 883, 905, 1491, 1509, 2471
——, heterogeneous polymerization of, 2471
Methyl acrylate, graft copolymer with starch, biodegradable plastic from, 459
——, vapor, photo-induced polymerization on prewetted polyamide-polyester fibers, 3405
Methyl α-chloroacrylate, co- and terpolymers of, electron sensitive resists from, 53
Methyl methacrylate, co- and terpolymers of, electron sensitive resists from, 53
——, copolymers with glass-forming monomers, radiation induced formation of, 1, 27
——, copolymers, 1, 27, 883, 1491, 3301
——, graft polymerization on starch, 3003
——, graft polymerization on wool, 883, 3301
——, prepolymer, radiation induced polymerization of, 43
Methyl vinyl ketone, copolymers with styrene and 2,6-di-*t*-butyl-4-acryloylaminomethylphenol, weathering of, 1491
——, copolymers with styrene or methyl methacrylate, weathering, 1491
α-Methylstyrene, copolymers with styrene and butadiene, triblock, 2387
——, copolymers with butadiene, stress–strain behavior of, 2907
Methylvinyldiacetoxysilane, modification of viscose rayon by, 511
2-Methyl-5-vinylpyridine, graft polymerization on cotton-polyester blends, 847
——, graft polymerization on oxidized celluloses, 1853
——, graft polymerization on poly(ethylene terephthalate) fibers, postradiation induced, 3335
——, polymerization in poly(ethylene terephthalate) fibers, 1359
Mica flakes, epoxy resin filler, 1845
Microgel containing solutions, polystyrene mixtures as models, 1135
Model, mathematical, batch emulsion polymerization, reactor, 89
——, batch polymerization of styrene, 315
Modification of cotton, 2713
Modification of poly(vinyl chloride), 2685
Modulus, elastic, particulate filled polymers, 2391
——, of rigidity, ABA poly(styrene-*b*-isoprene)/poly(phenylene oxide) blends, 719
Moisture, atmospheric, effect of adsorption on dimensional changes of glass-filled epoxy resins, 3547
Molecular motions in mica-filled epoxy resons, 1845
Molecular weight, average, use of fractional moment in determining, 589
Molecular weight chromatography, analysis of polymers by pyrolysis, vapor-phase infrared spectroscopy and, 1867
Molecular weight distributions, distribution functions of polymers from, 1177
——, effect on viscoelastic properties of polyethylene melts, 1677
Molecular weight—viscosity relationships, poly(1,4-butylene terephthalate), 2119
Monoepoxides, metal-containing polyesters from, 3371
Mono(hydroxyethyl)phthalate, divalent metal salts, polyesters from, 3371
Mooney-Rivlin elastic parameters, 1331
Morpholine, swelling of cotton fibers in, 1243
Morphological zones, injection molded polypropylene, 2341
Morphology, poly(butylene terephthalate), 769
——, polymer mixtures, effect of flow conditions, 2081

Naphthalene-2,6-dioic acid, polyesters from, photochemical reactions of, 2085
Nickel (II) chelates, photostabilizers for polymers, 611
Nitro group containing polymers, graft polymerization to, by chain transfer, 2011
Notch sensitivity of polymers, 3011

Nuclear magnetic resonance, characteristics of wool and cotton during water adsorption determined by, 571
Nuclear magnetic resonance, ^{13}C, determination of amyl branch in LDPE by, 585
Nylon 6 yarns, heat setting, 2357
Nylon 66, fiber recovery in stress–strain curves, 1631
——, melt spinning, 3351
Nylon-66 yarns, heat setting, 2357

n-Octadecyl acrylate, co- and homopolymers, as viscosity index improvers, 1509, 1529, 1547
Open-pore structure, urea-formaldehyde, electrosynthesis, 3469
Optical properties, of organic glasses, 1, 13, 27, 43, 389
——, plasticized epoxy polymers, interrelation of mechanical properties and, 1725
Optical strain, thermal stream type, 389
Organometallic polymers, 3449
Orientation in injection molded polypropylene, 2341
Oscillatory deformation, polymeric systems, 727
——, polarization-optical studies of polymers under, 665
Osmosis, reverse, 1607, 2265, 2609
——, reverse, cellulose acetate membranes, 2265, 2609
Osmotic pressure, 149
——, *theta*—cosolvents for PVC determined by, 149
Oxidation, photo-, poly(4-methylpent-1-ene), 625
——, thermal, guayule and *Hevea* rubbers, 2485
——, thermal, fractionated polypropylene, 563
Oxidative degradation and stabilization of grafted layer of surface modified polyethylene, 2459
Oxygen index, apparatus for measuring, 1911
Oxygen inhibition, in polymerization, elimination by barrier coats, 2543
Ozone, degradation of polyacrylamide in water by, 2109

Paracrystal formation, effect on surface tension of annealed polyimide, 2137
Particle growth, measurement by liquid exclusion chromatography, 577
Particle size relation with grafting, effect on impact in two-phase plastics, 2427
Particulate filled glassy polymers, 3531
Peanut skins, formaldehyde polymerized, binding of heavy metal ions by, 378
Pendulum, torsion, controlled amplitude, 467
Permeability, metal complex solutions, through cellulose acetate membranes, 2867
——, water vapor, through poly(L-methionine) membranes, 1593
Peroxide formation on cellulose derivatives, 3405
Phase separation, block copolymers, 445
——, poly(N-propylacrylamide) solutions, 873
Phenolics, two step, curing behavior by solvent extraction, 3225
Photo crosslinkable polymers, 239
Photochemical degradation, poly(ethylene 2,6-naphthalate), 2085
Photodegradation, polypropylene, 2217, 2953
——, polypropylene, UV stabilizer decomposition, 2217
Photoinduced polymerization, methyl acrylate vapor on prewetted polyamide and polyester fibers, 3405
Photooxidation, anthraquinone as photosensitizer, 1451
——, *p*-benzoquinone as photostabilizer, 1451
——, poly(4-methylpent-1-ene), 625
Photopolymerization, glycidyl methacrylate on cellulose cotton, 905
Photosensitized dehydrochlorination of PVC, effect of additives, 1129
Photosensitizer, anthraquinone, 1451
Photostabilization, polypropylene, by hindered amine, 3277
Photostabilizer, *p*-benzoquinone, 1451
Piperidine, swelling of cotton fibers in, 1243
Plasma, deposited polymer films, 2395, 2793, 2799, 2805
Plasma polymer films, adhesion to metal substrates, 2395
Plasma polymerization, saturated hydrocarbons, 917
Pole figure measurements on poly(vinyl fluoride) film, by x-ray diffraction, 3031
Polyacrylamide, 643, 1665, 2109
——, hydrogels, 1665
——, ozone degradation, 2109
Polyacrylates, structure of membranes of hydrous Zr(IV) oxide and, 289
Poly(acrylic acid) and sodium salt solutions, degradation by high-speed stirring, 2207
Poly(acrylic acid), membranes, reverse osmosis, 1607
Polyacrylonitrile-cellulose blends, 2533
Polyamide fibers, photopolymerization of methyl acrylate on, 3405
Polyamides, aromatic, 2701, 2857
——, aromatic-aliphatic, thermal behavior, 2857
Polyaminoamide resin deposition on wool, 3267
Polyampholytes, starch with amine and xanthate substituents, 897
Polyarylenes, microdeformation, 2025
Poly(γ-benzyl-L-glutamate), gas permeability of, 1469
Poly(5,5′-bibenzimidazole-2,2′-diyl-1,3-phenylene), 2965
Polybutadiene, 113, 335, 593, 665, 727, 751, 999, 1867
——, cloud-point isotherms in systems with tetralin and, 593
——, oscillatory deformation, 727
——, rheological properties, 665, 751
——, thermal degradation, 113, 999
1,3-Polybutadiene, crosslinked, states of ease in, 335
1,4-Polybutadiene, influence of *cis/trans* ratio on degradation of, 1867
Poly(1,4-butylene terephthalate), molecular weight-viscosity relationships, 2119
Poly(butylene terephthalate), morphology and physical properties, 769
——, bisphenol A polycarbonate blends, 2155
Poly(ε-caprolactam), 361
Poly(ε-caprolactone), blends with PVC, 1255
Polycarbonate, blends with polyester, 2155
——, cold-drawn, thermomechanical studies, 1767
——, effect of notches and reinforcement on

fatigue behavior, 2063
——, physical properties, effect of adsorbed water on, 1143
——, tensile properties, effect of sterilization on, 2019
Polycondensation, interfacial, 2857
Poly(dimethylaminoethyl methacrylate), as antifoaming agent, 1479
Poly(2,6-dimethyl-1,4-phenylene oxide), thermal degradation, 2891
Poly(2,6-dimethyl-1,4-phenylene oxide)/polystyrene blends, crazing of, 2025
Poly(1,1-dimethylpiperidinium-3,5-diallylmethylene chloride), adsorbed layers on cellulose, 3495
Polyelectrolyte-cellulose systems, interfacial properties, 3495
Polyester, blends with cotton, chemical modification of, 847
——, blends with polycarbonate, 2155
——, metal containing, 3371
Polyester fibers, effect of crystal structure of disperse dyes on the dyeing of, 2069
——, photopolymerization of methyl acrylate on, 3405
Polyester resins, calibration of GPC for, 3343
Polyester yarns, dyeing of, 943
——, effect of heat setting on properties, 2357
——, effects of simultaneous draw texturing process on, 187
——, *in situ* polymerization of vinyl monomers in, 125
Polyesterification, kinetics, prediction of apparent rate constant, 1797
Polyesters, 125, 163, 187, 769, 847, 869, 943, 2069, 2155, 3177, 3343, 3371, 3405
——, bromostyrene crosslinked, effects of C-Br bond strengths and synergists on fire retardancy, 3177
——, swelling in dichloroacetic acid, 869
Polyethylene, 585, 727, 781, 1163, 1443, 1677, 1715, 1895, 2141, 2459, 2499, 2553, 2621, 2691, 3249, 3485, 3419, 3435
——, d_4, 2499
——, biodegradation, 3419, 3435
——, blends with poly(oxymethylene), structure and properties, 1895
——, carbon black filled, as switching materials, 1163
——, composites, preparation and properties, 3249
——, crystallization, effect of cooling rate and nucleation on, 2979
——, dielectric loss, polar group effect on, 2141
——, fractionation, 2621
——, γ-ray induced polymerization, thermal properties, 3485
——, high density, multistage stretching in melt spinning, 2553
——, linear, flowing, melt density, 781
——, low density, crack propagation in, 2691
——, low density, identity of amyl branch in, 585
——, melts, viscoelastic properties, 1677
——, oscillatory deformation, 727
——, stress relaxation behavior, 1715
——, surface modification by radiation induced grafting, for adhesive bonding, 2459
Polyethylene films, bending properties, 1443
——, blown, x-ray diffraction studies, 2721, 2739, 2751, 3027
——, orientation, 2721, 2739, 2751, 2761
——, plasma deposited, 2793, 2799
Poly(ethylene 2,6-naphthalate), liquid induced crystallization, 3347
——, photochemical reactions, 2085
Poly(ethylene oxide), ESR of nitroxyl radicals in, 2077
Poly(ethylene terephthalate), fiber recovery in stress–strain curves, 1631
——, 163, 869, 943, 1359, 1583, 1631, 2229, 2403, 2585, 3335
——, fibers, crystallinity and disorder, 2585
——, fibers, drawn, effect of carriers on, 1583
——, fibers, dyeing of, 1583
——, fibers, effect of winding speed on physical structure, 2229
——, fibers, grafting of 2-methyl-5-vinylpyridine to, post-radiation induced, 3335
——, fibers, polymerization of 2-methyl-5-vinylpyridine in, 1359
——, fibers, preoriented yarns, 2585
——, graft polymerization of vinyl phosphonates on, 2403
——, high-pressure extrudes of, properties of, 163
——, swelling in dichloroacetic acid, 869
——, yarns, effect of process conditions on physical structure, 943
Polyformaldehyde, graft polymerization on, 1303
Polyglutamates, 279, 1469, 2817
——, sorption of gases on membranes of, 279
Poly(L-glutamic acid), heterogeneous network polymers from poly(oxyethylene glycol) and, liquid-crystal structure of, 2817
Polyglycol-epoxy elastomers, dielectric relaxation in, 2881
Poly(2-hydroxyethyl methacrylate), 643, 859
——, gels, preferential absorption of binary solvents by, 859
Polyimide, annealed, effect of paracrystal formation on surface tension of, 2137
——, comparison with fabricated poly(*p*-phenylene), 1971
——, from diisocyanates, dianhydrides, and dialkyl esters, 1983
Polyisoprene, 353, 665, 719, 727, 751
——, oscillatory deformation, 727
1,4-Polyisoprene, *cis*-, chemical degradation, 353
Polyisoprene-styrene block copolymers, blends with poly(phenylene oxide), 719
Polyisoprenes, rheological properties, 665, 727, 751
Polymer melts, elongational flow and failure, 1061
——, morphology, dependence on flow conditions, 2081
Polymerization, 1, 13, 27, 43, 89, 125, 487, 577, 917, 1207, 1303, 1853, 1977, 2011, 2253, 2471, 2499, 2543, 2991
——, emulsion, 89, 577
——, emulsion, batch, mathematical model of, 89
——, ethylene-d_4, 2499
——, free radical, elimination of oxygen inhibition by barrier coats, 2543
——, graft, 1303, 1853, 1977, 2011, 2253, 2403, 2459, 2991
——, graft, acrylonitrile on gelatinized starch, 2991
——, graft, γ-ray induced, 1303
——, graft, on nitro containing polymers, by chain transfer, 2011
——, graft, on magnetic polymer substrates, 1977

——, graft, radiation induced, 1303, 2403, 2459
——, graft, redox initiated, 2253
——, graft, vinyl monomers on oxidized cottons, 1853
——, heterogeneous, methacrylates, 2471
——, *in situ* in polyester yarns, 125
——, plasma, 917, 1195, 2395
——, plasma, electrodeless glow discharge, organic compounds, 1195
——, plasma, saturated hydrocarbons, 917
——, radiation induced, 1, 13, 27, 43, 389, 487
——, radiation induced, γ-glycidoxypropyltrimethoxysilane-glycidyl methacrylate, 487
——, radiation induced, of 2-hydroxyethyl methacrylate with other monomers, 1
——, radiation induced, of methyl methacrylate with glass forming comonomers, 1, 27
——, thermal, styrene, 1207
Polymer films, plasma deposited, 2793, 2799
Polymers, heterocyclic, expansion in salt solutions, 2965
——, photo-crosslinkable, 239
——, thermally stable, solubility criteria by GPC, 3235
——, weathered, degraded products, 1491
Poly(L-methionine), membranes, 1593
Poly(methyl methacrylate), filled, mechanical α-dispersion and interaction in, 3135
——, filler particle size effect on properties, 1321
——, membranes, water permeability, 1805
Poly(4-methylpent-1-ene), luminescense and photooxidation, 625
Poly(1-methyl-2-vinylpyridinium iodide), reverse osmosis membranes, 1607
Poly(1,3,4-oxadiazoles), properties, 411
Poly(oxyethylene glycol), heterogeneous network polymers with poly(L-glutamic acid), 2817
Poly(oxymethylene)-polyethylene blends, structure and properties, 1895
Polypeptides, 279, 1469, 1593
——, membranes of, sorption of gases on, 279
Poly(*p*-phenylene), fabricated, properties, 1971
——, fabrication by powder forming technique, 1955
Poly(phenylene oxides), 719, 2025
Poly(*p*-phenylene terephthalamide), viscosity of anisotropic solutions, 2701
Poly(isopropylacrylamide), 873
Polypropylene, 299, 563, 611, 1225, 1443, 1451, 2217, 2341, 2383, 2451, 2621, 2953, 3121, 3163, 3277
——, atactic, thermal oxidation, 563
——, barium titanate filled, dielectric and mechanical properties, 2383
——, fractionated, thermal oxidation, 563
——, fractionation, 2621
——, glass reinforced, oriented monofilaments of, 299
——, halogenated phosphate retardants in, 2451
——, hydrogenated, thermal oxidation of, 563
——, injection molded, orientation in morphological zones, 2341
——, injection molded, shrinkage, 1225
——, light stability, effect of reduction of quinones in, 1451
——, photodegradation, decomposition of UV stabilizers in, 2217
——, photodegradation, in presence of $FeCl_3$, 2953
——, photostabilization, by hindered amine, 3277
——, stabilization by quinones, 1451
——, stabilizers, *in situ* preparation of nickel (II) chelates as, 611
Polypropylene fibers, drawing and annealing, 3121
——, irradiated, graft polymerization of hydrophilic monomers on, 3163
Polypropylene films, bending properties, 1443
Polyquinoxaline, solubility criteria, 3235
Polysaccharides, from Black Yeast-like fungi, 701
Polysebacamides, 2857
Polystyrene, 467, 593, 599, 689, 719, 727, 889, 1029, 1135, 1431, 1619, 2025, 2127, 2278, 2285, 2633, 2707, 2793, 2799, 3135, 3193, 3293
——, atactic, diffusion of disperse dyes in, 1431
——, blends with poly(2,6-dimethyl-1,4-phenylene oxide), crazing, 2025
——, copolymers with isoprene, compatability of blends with poly(phenylene oxide), 719
——, cloud-point isotherm in polybutadiene-tetralin system, 593
——, chain configuration, 889
——, deformation, relation of behavior to molecular weight parameters, 1029
——, diffusion of ethylbenzene in molten, 689
——, drawn, thermal shrinkage of, 3193
——, filled, mechanical α-dispersion in, 3135
——, films, plasma deposited, 2793, 2799
——, high impact, damping and fatigue properties, 467
——, high impact, effect of rubber particle size on properties, 599
——, light scattering of mixtures, 1135
——, melt relaxation, 2633
——, monofilaments, orientation of amorphous, 2707
——, narrow molecular weight, comparison of similar, 2127
——, oriented, brittle-ductile transformation, 1619, 2707
——, oscillatory deformation, 727
——, thermal analysis of, 2275, 2285
Polystyrene- aluminum chloride, initiator of carbenium ion polymerization, 3293
Poly(styrenesulfonate, sodium), interpolymers with poly(vinyl alcohol), crosslinking, 2401
Polysulfone, volatility of solvents from melts of, 1021
Poly(tetrafluoroethyle), copolymerization initiated by mechano-radicals on, 2915
Poly(tetrafluoroethylene), specific volume, 633
Polyterephthalate, 163, 769, 1631
Poly(tetramethylene terephthalate), fiber recovery curves, 1631
Polyurethane elastomers, based on hydroxy terminated polybutadienes, 1817
Polyurethanes, crosslinked, mechanical properties, 1331
Polyurethanes, from 4,4′-diphenylmethane diisocyanate and triethylene glycol esters, 215
——, isocyanate terminated prepolymers, 927
Poly(vinyl alcohol), crosslinking of interpolymers of sodium poly(styrenesulfonate) with, 2401
Poly(vinyl chloride), 149, 851, 1129, 1167,

1255, 1443, 1631, 1787, 2415, 2435, 2685, 3387, 3597
——, blends with poly(ϵ-caprolactone), viscoelasticity of, 1255
——, compounds, unplasticized, anomolous behavior in capillary flow, 2435
——, dehydrochlorination, partial, 3039
——, dehydrochlorination, photosensitized, 1129
——, N,N-di(β-hydroxyethyl)dithiocarbamate containing, reaction with metal ions, 1787
——, fiber recovery curves, 1631
——, films, bending properties, 1443
——, foam, crosslinked, 2685
——, modification, 268
——, radiation induced copolymerization on, 3387
——, plasticized, resistivity of, 1167
——, plasticizers for, 851
——, solubility of monomer in, 3597
——, thermal degradation, effect of HCl on, 2415
——, *theta*—cosolvents for, 149
Poly(vinyl fluoride), x-ray diffraction pole figure measurements, 3031
Poly(vinyl *p*-nitrobenzoate), graft polymerization of styrene on, 2011
Pour point, *n*-octadecyl acrylate co- and homopolymers, 1547
Powder-forming techniques, fabrication of poly(*p*-phenylene) by, 1955
Pressure drop through tapered dies, 1775
Propham, controlled release from plastic granules, 1015
Propylene, copolymerization with tetrafluoroethylene, radiation induced emulsion, 2653
Pyrolysis-molecular weight chromatography-vapor-phase IR analysis of polymers, 1867

Quinazolone prepolymers, preparation and characterization, 2173, 2187, 2197
Quinones, effect of reduction on light stability of polypropylene, 1451

Radiation, induction of polymerization by, 1, 13, 27, 43, 389, 487, 643, 823, 2403, 2459, 2653, 3311, 3335, 3485
——, preparation of grafted hydrogels by use of, 643
Radiation induced copolymerization of propylene and tetrafluoroethylene, 2653
Radiation induced graft polymerization, 2-methyl-5-vinylpyridine on poly(ethylene terephthalate) fibers, 3335
——, on, PVC, 3387
Radiation induced polymerization, ethylene, 3485
——, water saturated styrene, 3311
Radio-frequency glow discharge, polymerization of saturated hydrocarbons by, 917
Rate constants, polyesterification, prediction, 1797
Rayon, fiber recovery curves, 1631
——, viscose, chemical modification, 511
Redox initiated graft polymerization, 2253
Relaxation, dielectric, epoxy-polyglycol elastomers, 2881
Relaxation properties, styrene-butadiene block copolymers, 3081
Release, controlled, drug, from partial esters of vinyl acetate-maleic anhydride copolymers, 1991
——, controlled, Propham from plastic granules, 1015
Resins, ion exchange, insoluble cationic starches, 1405
——, metal containing, 2093
Resistivity, dc, volume, plasticized PVC, 1167
Resists, electron sensitive, 53
——, lithographic, 3397
Resorcinol/wattle flavonoido condensates, cold-setting adhesives based on, 2717
Rheological properties, polybutadienes and polyisoprenes, 665
——, polysaccharides from Black Yeast-like fungi, 701
Rheology, high solid coatings, 2769, 2783
Rheology and swelling, saponified starch-*g*-acrylonitrile copolymers, 1343
Rheometer, Han slit/capillary, 1677
Rheometry, capillary, unplasticized PVC, 2435
Rubber, adhesion of Kevlar aramid cords to, 801
——, filler-elastomer link in reinforcement, 525
Rubber particles, size, effect on mechanical properties of high-impact polystyrene, 599
Rubbers, effect of lignosulfonate on properties of, 1885
——, guayule and *Hevea*, thermal oxidation of, 2485
——, liquid, effect of aromatic diols on, 3101
——, liquid, polybutadiene base polyurethanes, 1817
——, reclamation of, 353
——, vulcanized, 353

Saccharide radicals, UV induced, 3327
Sandwich foam coextrusion, 2573
Sandwich structures, additive effects on, 2831
Scanning electron microscopy, 1955, 2403, 2793, 2799
Scattering, internal, effect on color of fabrics, 3459
Scavengers, heavy metal ion, from cyanuric chloride, 3075
Sericin cocoon, thermal decomposition of, 543
Setting, heat, nylon, and polyester yarns, 2357
Shear degradation, cellulose derivatives, 865
Shear girdling, 3021
Shellac—amino resin blends, curing of, 3035
Shrinkage, thermal, drawn polystyrene, 3193
Silicone rubber membranes, irradiated, gas permeability of, 833
Simha-Somcynsky hole theory, 633
Sodium dodecylbenzenesulfonate solutions, antifoaming agents for, 1479
Solubility criteria, thermally stable polymers, 3235
Solubility and diffusion, vinyl chloride in PVC, 3597
Solubility parameter and swelling, 1243
Solute-polymer interactions, thermodynamics of, 1277
Solvent, effect on mechanical degradation of polymer solutions, 1763
Solventless curing, barrier coats versus inert atmosphere, 2543
Sorption, aliphatic acids by oleophilic anion exchange resins, 555
——, gases by polypeptides, 279, 1469
——, transient, by two component laminate slabs, 3539
Spinning, melt, instability and failure in elongational flow and, 3057

——, melt, nylon 66, 3351
Stability of crosslinked cellulose, conditions, 3345
Stabilizers, photo-, 611, 3277
Stabilization, photo-, of polypropylene, 3277
Starch, gelatinized, graft polymerization of acrylonitrile on, 2991
——, graft copolymer with methyl acrylate, biodegradable plastic from, 459
——, graft copolymer with methyl methacrylate, 3003
——, saponified, acrylonitrile grafts on, 1343
Starches, insoluble anionic, preparation, 1405
Starch 2-hydroxy-3-mercaptopropyl ethers, preparation and use in graft copolymerizations, 3579
Starch polyampholytes, with amino and xanthate substituents, 897
States of ease, in crosslinked 1,2-polybutadiene, 335
Sterilization, effect on tensile properties of polycarbonate, 2019
Stress, extensional, during polymer flow in ducts, 751
——, shearing, sandwich structures, 2831
Stress relaxation, polyethylene, 1715
Stress-relaxation behavior, polyurethane elastomers, 1331
Stress–strain behavior, butadiene-α-methylstyrene block copolymers, 2907
——, cross-linked 1,2-polybutadiene, 335
——, polybutadiene based polyurethane elastomers, effect of aliphatidiols on, 1817
——, polyurethane elastomers, 1331
Stress–strain curves, fiber recovery in, 1631
Stress–strain properties, α-methylstyrene-butadiene-styrene block copolymers, 2387
Stretching of high-density polyethylene, 2553
Styrene, azoisobutyronitrile initiated polymerization of, mechanism and molecular weight distribution, 3111
——, copolymers, 267, 369, 719, 967, 1081, 1105, 1119, 1491, 2275, 2387, 3081
——, co- and terpolymers with alkyl methacrylates, 2275
——, copolymers with acrylonitrile, impact plastics from blends with ϵ-caprolactone block copolymers, 1081
——, copolymers with acrylonitrile, influence of solvent on shear viscosity, 967
——, copolymers, block, with butadiene, diffusion of *p*-aminoazobenzene in, 1105
——, copolymers, block, with butadiene, relaxation properties, 3081
——, copolymers, block, with butadiene and lactones, 1119
——, copolymers with 2,6-di-*t*-butyl-4-acryloylaminomethylphenol, 1491
——, copolymers, with divinylbenzene, formed in presence of Hypalon-20, 267
——, copolymers with methylvinylketone, weathering, 1491
— —, graft polymerization on poly(vinyl *p*-nitrobenzoate), 2011
——, emulsion polymerization, 577
——, polymerization, 267, 315, 577, 1207, 3311
——, polymerization of, mathematical model for batch, 315
——, rubbery, block terpolymers, high-impact plastics from blends, 1081
——, thermal polymerization, 1207
——, triblock copolymers with α-methylstyrene and butadiene, 2387
——, water saturated, radiation induced polymerization, 3311
Surface tension, annealed polyimide, effect of paracrystal formation, 2137
——, versus barrier properties of fluorinated surfaces, 1007
Swelling, cotton fibers, 1243
——, polybutadiene based polyurethane elastomers, 1817
——, polyesters in dichloroacetic acid, 869
——, poly(ethylene terephthalate) fibers, 1583
Swelling agents, for cotton fibers, 533
Swelling and diffusion properties, from elongation of two-phase membranes, 3213
Swelling and rheology, saponified starch-*g*-acrylonitrile copolymers, 1343

Tait equation, 633
Tannin-formaldehyde condensates, adhesives from, 1735, 1945, 2397
Tensile compliance, polymeric materials, 1291
Tensile properties, polycarbonates, effect of sterilization, 2019
Tetraethylene glycol diacrylate, effect on inner plasticized organic glasses, 13
Tetrafluoroethylene, copolymerization with propylene, radiation induced emulsion, 2653
Thermal analysis, polystyrene and styrene-alkyl methacrylate co- and terpolymers, 2275, 2285
Thermal decomposition, cellulose, 497
Thermal degradation, cellulose phenylthiophosphonate, 679
——, 6-chlorocellulose, 1183
——, polybutadiene, 113, 999
Thermal stream type optical strain, 389
Thermodynamics, blends containing *n*-octadecyl acrylate polymers, 1547
——, solute—polymer interactions, 1277
Thermogravimetric analysis (TGA), 999, 2285
Thermoluminescence, styrene-butadiene block copolymers, 3081
Thermomechanical analyzer, to determine tensile compliance, 1291
Thermomechanical investigation, cold-drawn polycarbonate, 1767
Theta-solvents, for PVC, determined by cloud point and osmotic pressure measurements, 149
Thiourea, effect on thiuram-accelerated sulfur vulcanization, 227
Thiourea-V^{5+} redox system, 3301
Thiuram accelerated sulfur vulcanization, effect of thiourea, 227
Transmission electron microscopy (TEM), 2793, 2799
Transport, ion, in cellulose acetate membranes, effect of chelation on, 1093
Transport phenomena, 2867
Triblock copolymers, butadiene-α-methylstyrene-styrene, 2387
Triethylene glycol, esters, 215
——, polyurethanes from 4,4′-diphenylmethane diisocyanate and esters of, 215
1,1,1-Tris(hydroxymethyl)propane, crosslinking agent for poly(vinyl alcohol)-sodium poly(styrenesulfonate) interpolymers, 2401

Ultrafiltration, cellulose nitrate membranes, 3559

Ultrasonic fields, cavitating, degradation of polymers in, 1735
Ultraviolet irradiation, induction of saccharide radicals by, 3327
Ultraviolet screen precursors, 2165
Ultraviolet stabilizer, decomposition in photodegradation of polypropylene, 2217
Urea-formaldehyde foam, mechanical properties, 419
Urea-formaldehyde granules, controlled release of Proham from, 1015
Urea-formaldehyde open-pore structure, electrosynthesis of, 3469
Urethanes, thermally labile derivatives, as UV screens, 2165

V^{5+}-thiourea redox system, 3301
Vinyl acetate, aqueous polymerization in absence of emulsifier, 1043
——, copolymers with ethylene, surface-free energy, 3525
——, copolymers with maleic anhydride, controlled drug release from partial esters, 1991
——, copolymers with vinyl chloride, molecular weight distribution, 2661
——, emulsion polymerization, particle growth in, 577
——, emulsion polymerization, semicontinuous, 3145
Vinyl chloride, copolymers with vinyl acetate, molecular weight distribution, 2661
——, solubility in PVC, 3597
Vinyl monomers, redox graft polymerization on wool, 3301
Vinyl phosphonates, graft polymerization on poly(ethylene terephthalate), 2403
1-Vinyl-2-pyrrolidone, graft polymerization on irradiated polypropylene, 3163
Viscoelastic behavior, comparison in similar narrow molecular weight polystyrenes, 2127
Viscoelastic properties, polyethylene melts, molecular weight distribution and long chain-branching effects on, 1677
Viscoelasticity, dynamic, polybutadiene based polyurethanes, 1817
——, nonlinear, PVC—poly(ϵ-caprolactone) blends, 1255
Viscometry, anisotropic solutions of poly(*p*-phenylene terephthalamide), 2701
Viscose rayon, chemical modification, 511
Viscosity, shear, styrene-acrylonitrile copolymers, 967
Viscosity index, 1509, 1529, 1547
Viscosity index improvers, containing *n*-octadecyl acrylates, 1509, 1529
Viscosity-molecular weight relationships, poly(1,4-butylene terephthalate), 2119
Viton A, see hexafluoropropylene-vinylidene fluoride copolymers
Volatility, solvent, from polysulfone melts, 1021
Volume, activation, polyethylene, 1715
——, specific, poly(tetrafluoroethylene), 633
Vulcanization, sulfur, thiuram accelerated, 227

Water, adsorbed, effect on polycarbonates, 1143
Water permeability, poly(methyl methacrylate) membranes, 1805
Water soluble polymers, ozone treatment of, 2109
Water transport, collagen hollow fiber membranes, 1655
Water vapor, effect on permeability of gases through ethylcellulose membranes, 3607
Water-vapor permeability, cellulose triacetate membranes, 2307
Weathered polymers, degradation products, 1491
Wettability, human hair fibers, 2295
——, 2-hydroxyethyl methacrylate-styrene copolymers, 369
White-Metzner model, 3057
Wool, blends with cotton, IR analysis, 2677
——, graft polymerization of methyl methacrylate on, 883, 3301
——, graft polymerization of vinyl sulfones on, 2253
——, deposition of polyaminoamide resin on, 3267

X-ray crystallinity, characterization of poly(*p*-phenylene) powders by, 1955
X-ray diffraction, cellulose, 3089
——, polyethylene films, 2721, 2739, 2751, 3027
——, small angle, blown polyethylene films, 3027
X-ray pole figure measurements, poly(vinyl fluoride) film, 3031
X-ray scattering, low angle, plasma deposited films, 2793
——, small angle, polystyrene, 889
Xantham gums, hydrogels from, 1665
Xenon, sorption by polypeptides, 279

Yarns, polyester, effect of simultaneous draw texturing process, 187
——, polyester, *in situ* polymerization of monomers in, 125

Zeta potential, 3495
Zirconium (IV) oxide, hydrous-polyacrylate membranes, structure, 289